

August 2, 2010

Due to the recent oil spill in the Gulf of Mexico, there has been great public concern over the safety of Gulf seafood. The Louisiana departments of Health and Hospitals (DHH), Wildlife and Fisheries (DWF), Environmental Quality (DEQ), and Agriculture and Forestry (DAF) are committed to monitoring Louisiana seafood to ensure it is safe to eat. Officials with these agencies are aggressively pursuing a long-term seafood safety and monitoring plan, as well as ongoing efforts to test seafood and water samples from sources all along the Gulf Coast of Louisiana.

Louisiana Seafood Safety Surveillance Report 2010

Summary

Summary of Data Collected to Date

Of 495 seafood samples (Figure 1) collected between April 30, 2010 and July 22, 2010 (Table 1), trace levels of PAHs were detected in 81 samples (Table 2). No (0) sample results showed levels of concern, (Table 3), meaning that any chemicals detected were below levels that could potentially threaten the public's health. Additionally, DHH personnel collect water samples from Oyster Harvest Areas at the time oysters are collected. Between April 30, 2010 and July 23, 2010, 57 water samples were collected and analyzed for total petroleum hydrocarbons (TPH). TPH was not detected in any of the samples.

About The Process

Fishing Closures

Federal and state officials are monitoring the waters from which seafood is harvested and will act to close areas threatened by the oil spill to fishing and shellfish harvesting when needed. Closing harvest waters which could be exposed to the oil is the best way to protect the public from potentially contaminated seafood, because it keeps the product from entering the food supply. Closures are made with the intent to be as safe as possible, while not closing any fishing areas unnecessarily.

The National Oceanic and Atmospheric Administration (NOAA) has the authority to close Federal waters to fishing, and states have the authority to close waters within their jurisdiction. When necessary, DHH and DWF issue closures of recreational and commercial fishing in state waters based on the best information from field staff and trajectory models from NOAA.

Once reports of oil are received or oil is predicted to impact an area, DHH and DWF initiate a field survey and begin seafood collection in the closed areas.

Waters are re-opened when oil from the spill is no longer present and the seafood samples from the area successfully pass chemical testing. If, despite these steps, adulterated seafood is found on the market, both DHH and the Food and Drug Administration (FDA) have the authority to seize such product and remove it from the food supply.

Seafood Collection

DHH and DWF have been collecting seafood samples since April 30, 2010. To date, thousands of oysters, shrimp, crab and fish have been collected from state waters by DHH and DWF personnel. Individual specimens are collected from a single sampling location and grouped by seafood type to form a composite sample. For instance, approximately 100 shrimp are collected at a single location for 1 shrimp composite sample. The edible tissue, or the portion of the animal that we eat (e.g. fish fillet, shrimp tail, crab meat), is separated and submitted to the lab to be tested.

DHH and DWF are collecting samples from areas across the Louisiana coast from Lake Pontchartrain to Cameron Parish. Samples from areas that have not been impacted by oil are used to determine "background" levels of chemicals in seafood and provide baseline information for comparison should oil move into those areas in the future.

DHH and FDA have also implemented a sampling program of seafood products at Louisiana primary processing plants. The agencies are currently targeting oysters, crabs and shrimp, which could retain contaminants longer than finfish. This sampling will provide verification that seafood being harvested is safe to eat. To date, DHH has collected samples from

7 seafood processing/wholesale facilities across 6 Southeastern Louisiana parishes.

Seafood Testing

Once collected, samples are delivered to a laboratory by the agencies to undergo chemical analysis. Samples are tested for components of crude oil called hydrocarbons. Crude oil is a complex mixture of many hydrocarbon compounds. Polycyclic aromatic hydrocarbons (PAHs) are of greatest concern because they are most likely to accumulate in seafood tissue and, in very high concentrations, may pose a health

threat to people who eat seafood often over several years. In order for a sample to pass chemical analysis, any chemicals detected by the laboratory must be below established “levels of concern”, or exposure levels that may cause health problems. Samples may also undergo sensory analysis, meaning trained scientists smell and/or taste the sample to determine if it has an unusual smell or taste called taint. Taint does not necessarily mean that fish or shellfish are unsafe to eat, but tainted seafood is not allowed to be sold in interstate commerce.




Table 1. Seafood Sample¹ Count by DHH Oyster Harvest Area

	Oysters	Shrimp	Crab	Finfish	All seafood
1	5	2	0	8	15
2	12	1	0	0	13
3	18	16	1	7	42
4	4	0	0	6	10
5	7	1	2	9	19
6	9	6	1	13	29
7	13	12	0	15	40
9	4	0	0	0	4
10	3	0	0	0	3
12	2	13	1	11	27
13	23	5	4	10	42
14	5	4	2	5	16
15	8	5	7	5	25
16	2	1	5	3	11
17	4	2	0	2	8
19	13	7	4	8	32
21	10	2	3	5	20
23	0	2	2	2	6
26	6	12	8	14	40
27	1	0	0	0	1
28	12	4	6	8	30
Btw 28/29	0	1	0	1	2
29 & 30	10	15	3	17	45
Seafood Processors/Wholesale	0	4	4	7	15
All areas	171	115	53	156	495

¹Represents a composite sample of multiple individuals.

²See map below.




Table 2. Seafood Sampling Results¹

Sample Dates: 4/30/2010- 7/22/2010	No. of samples				Range (mg/kg)	Hydrocarbon compounds detected include Anthracene, Benzo(a)anthracene, Benzo(a)pyrene, Chrysene, Fluorene, Fluoranthene, Naphthalene, Phenanthrene, and Pyrene.
	Total	NOT Detected	Detected	Above Levels of Concern ²		
Oysters	171	116	55	0	ND-0.042	
Shrimp	115	105	10	0	ND-0.062	
Crab	53	49	4	0	ND-0.012	
Finfish	156	144	12	0	ND-0.014	
All seafood	495	414	81	0	ND-0.062	

¹Includes both baseline and re-opening sampling efforts.

²See Table 3.

Table 3. Comparison Values for PAH Compounds

Compound	Levels of Concern ¹ mg/kg		
	Oyster	Shrimp/ Crab	Finfish
Anthracene	2,000	1846	490
Benzo(a)anthracene	1.43	1.32	0.35
Benzo(a)pyrene	0.143	0.132	0.035
Benzo(b)fluoranthene	1.43	1.32	0.35
Benzo(k)fluoranthene	14.3	13.2	3.5
Chrysene	143	132	35
Dibenzo(a,h)anthracene	0.143	0.132	0.035
Fluoranthene	267	246	65
Fluorene	267	246	65
Indeno(1,2,3-CD)pyrene	1.43	1.32	0.35
Naphthalene	133	123	33
Phenanthrene	2,000	1846	490
Pyrene	200	185	49

¹ Protocol for Interpretation and Use of Sensory Testing and Analytical Chemistry Results for Re-opening Oil-impacted Areas Closed to Seafood Harvesting (FDA and NOAA 6/18/2010)