


Second Quarter 2012

Vol. 10, No. 2



Louisiana Office of Public Health
STD/HIV Surveillance Program

DeAnn Gruber, PhD, LCSW
Administrative Director

Bee Frazier, PhD, MPA
Associate Director

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Jessica Fridge, MSPH
Surveillance Manager

Editor/Production:
Demerial Banks

Data Management/Analysis and Surveillance:
Demerial Banks, MPH, Surveillance Epidemiologist
Tania Bechtel, Data Manager

Joseph Foxhood, BA, OPH IT Project Manager

George Stephens, Information Systems Administrator

Josette Russell, Data Entry Specialist

Carleetha Lankster, Data Entry Specialist

William T. Robinson, Ph.D., Biostatistician

Jessica Cole, MPH, Perinatal Surveillance Coordinator

Rashad Arcement, MSPH, Incidence & Resistance Coordinator

Field Epidemiologists:

Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard
Connie Gordon

Region 1
Regions 1, 3

Cheryl Edney, BS MT(ASCP)
Gayle Norris, MA
Gale Terry, LPN

Regions 4, 5, 6
Regions 7, 8
Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2002-2011)	40
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2002-2011)	41
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of June 30, 2012¹.

- Nationally, Louisiana ranked **4th** highest in estimated AIDS case rates and **11th** in the number of estimated AIDS cases diagnosed in 2011, according to the CDC *2011 HIV Surveillance Report (Vol. 22)*.
- Baton Rouge ranked **1st** for estimated AIDS case rates among the largest metropolitan areas in the U.S. in 2010; New Orleans ranked **5th**.
- A total of **18,502** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,028** persons (54%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2011, of the persons who reported a risk factor, 63% reported being MSM, and an additional 2% reported being MSM and an injection drug user (IDU). As of June 30, 2012, 50% of all people living with HIV infection in Louisiana were MSM.
- In 2011, **1,300** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=441) occurred in Region 1 (New Orleans) and **24%** (n=306) occurred in Region 2 (Baton Rouge).
- In 2011, **795** new AIDS cases were diagnosed in Louisiana. Of these cases, **33%** (n=261) occurred in Region 1 (New Orleans) and **27%** (n=218) occurred in Region 2 (Baton Rouge).
- In Louisiana, **29%** of new HIV cases and **28%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2011, **73%** of newly diagnosed HIV cases and **76%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2011, **25%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **30%** occurred among persons 25-34 years old.
- As of June 30, 2012, a cumulative total of **32,601** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **331** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through June 30, 2012, is **14,035** including **111** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS

Louisiana
as of June 30, 2012

- **32,601** cumulative cases have been detected in Louisiana since the beginning of the epidemic, including **331** pediatric cases.
- **14,035** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana since the beginning of the epidemic, including **111** pediatric deaths.
- **18,502** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **8,474**
Persons living with AIDS: **10,028**

Gender

	Cases	Percent
Women	5,537	30 %
Men	12,965	70 %
Total	18,502	100 %

Age Category

Current Age	Cases	Percent
0 - 12	72	<1 %
13 - 19	160	1 %
20 - 24	826	4 %
25 - 29	1,497	8 %
30 - 34	2,049	11 %
35 - 39	2,124	11 %
40 - 44	2,472	13 %
45 - 49	2,956	16 %
50 - 54	2,788	15 %
55 - 59	1,888	10 %
60+	1,670	9 %
Total	18,502	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	8,010	4,582	12,592	68 %
White, Non-Hispanic	4,232	775	5,007	27 %
Hispanic	563	130	693	4 %
Asian/Pacific Islander	50	13	63	<1 %
American Indian	24	6	30	<1 %
Unknown	9	2	11	<1 %
Multi-race	77	29	106	1 %
Total	12,965	5,537	18,502	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	6,116	0	6,116	50 %
Injection drug use	1,126	656	1,782	15 %
Men who have sex with men and inject drugs	831	0	831	7 %
Heterosexual contact	1,051	2,175	3,226	26 %
Transfusion/Hemophilia	48	33	81	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	93	100	193	2 %
Total	9,265	2,965	12,230	100 %
<i>No Identified Risk</i>	<i>3,700</i>	<i>2,572</i>	<i>6,272</i>	

Persons Living with AIDS
Louisiana
as of June 30, 2012

• **22,038** cumulative AIDS cases have been diagnosed in Louisiana since the beginning of the epidemic, including **174** pediatric cases.

• **10,028** persons are currently living with AIDS in Louisiana.

Gender

	Cases	Percent
Women	2,773	28 %
Men	7,255	72 %
Total	10,028	100 %

Age Category

Current Age	Cases	Percent
0 - 12	11	<1 %
13 - 19	54	1 %
20 - 24	212	2 %
25 - 29	511	5 %
30 - 34	864	9 %
35 - 39	1,108	11 %
40 - 44	1,429	14 %
45 - 49	1,811	18 %
50 - 54	1,740	17 %
55 - 59	1,213	12 %
60+	1,075	11 %
Total	10,028	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	4,481	2,319	6,800	68 %
White, Non-Hispanic	2,404	352	2,756	27 %
Hispanic	295	81	376	4 %
Asian/Pacific	21	5	26	<1 %
American Indian	9	2	11	<1 %
Unknown	0	1	1	<1 %
Multi-race	45	13	58	1 %
Total	7,255	2,773	10,028	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,356	0	3,356	48 %
Injection drug use	771	367	1,138	16 %
Men who have sex with men and inject drugs	565	0	565	8 %
Heterosexual contact	628	1,147	1,775	25 %
Transfusion/Hemophilia	34	22	56	1 %
Perinatal	37	43	80	1 %
Total	5,391	1,579	6,970	100 %

<i>No Identified Risk</i>	<i>1,864</i>	<i>1,194</i>	<i>3,058</i>	
---------------------------	--------------	--------------	--------------	--

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2011

• **1,300** persons were newly diagnosed with HIV in Louisiana in 2011.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	920	71 %	Black, Non-Hispanic	955	73 %
Women	380	29 %	White, Non-Hispanic	250	19 %
Total	1,300	100 %	Hispanic	79	6 %
			Asian/Pacific Islander	4	<1 %
			American Indian	3	<1 %
			Unknown	4	<1 %
			Multi-race	5	<1 %
			Total	1,300	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	4	<1 %	Men who have sex with men	491	61 %
13 - 24	324	25 %	Injection drug use	63	8 %
25 - 34	389	30 %	Men who have sex with men and inject drugs	13	2 %
35 - 44	245	19 %	Heterosexual contact	237	29 %
45+	338	26 %	Perinatal	6	1 %
Total	1,300	100 %	Total	810	100 %

<i>No Identified Risk</i>	490
---------------------------	-----

AIDS CASES DIAGNOSED January - December 2011

• **795** persons were newly diagnosed with AIDS in Louisiana in 2011.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	569	72 %	Black, Non-Hispanic	603	76 %
Women	226	28 %	White, Non-Hispanic	155	19 %
Total	795	100 %	Hispanic	31	4 %
			Asian/Pacific Islander	2	<1 %
			American Indian	1	<1 %
			Multi-race	3	<1 %
			Total	795	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	83	10 %	Men who have sex with men	262	54 %
25 - 34	220	28 %	Injection drug use	73	15 %
35 - 44	214	27 %	Men who have sex with men and inject drugs	9	2 %
45+	278	35 %	Heterosexual contact	137	28 %
Total	795	100 %	Perinatal	8	2 %
			Total	489	100 %

<i>No Identified Risk</i>	306
---------------------------	-----

Persons Living with HIV/AIDS by Parish
as of June 30, 2012

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	97	Sabine	22
Allen	237	St. Bernard	137
Ascension	195	St. Charles	93
Assumption	25	St. Helena	19
Avoyelles	141	St. James	55
Beauregard	45	St. John the Baptist	156
Bienville	27	St. Landry	265
Bossier	161	St. Martin	105
Caddo	967	St. Mary	81
Calcasieu	653	St. Tammany	373
Caldwell	17	Tangipahoa	341
Cameron	4	Tensas	35
Catahoula	28	Terrebonne	190
Claiborne	60	Union	38
Concordia	44	Vermilion	89
De Soto	56	Vernon	60
East Baton Rouge	3,613	Washington	177
East Carroll	31	Webster	57
East Feliciana	157	West Baton Rouge	97
Evangeline	72	West Carroll	13
Franklin	34	West Feliciana	149
Grant	31	Winn	54
Iberia	114		
Iberville	434		
Jackson	30		
Jefferson	1,674		
Jefferson Davis	61		
La Salle	20		
Lafayette	675		
Lafourche	122		
Lincoln	79		
Livingston	169		
Madison	39		
Morehouse	61		
Natchitoches	111		
Orleans	4,488		
Ouachita	560		
Plaquemines	34		
Pointe Coupee	55		
Rapides	419		
Red River	9		
Richland	43		
		Total	18,502

**Persons Living with AIDS by Parish
as of June 30, 2012**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	54	Sabine	16
Allen	123	St. Bernard	87
Ascension	96	St. Charles	44
Assumption	12	St. Helena	12
Avoyelles	74	St. James	32
Beauregard	30	St. John the Baptist	86
Bienville	13	St. Landry	155
Bossier	83	St. Martin	58
Caddo	500	St. Mary	49
Calcasieu	370	St. Tammany	210
Caldwell	9	Tangipahoa	183
Cameron	3	Tensas	16
Catahoula	15	Terrebonne	109
Claiborne	35	Union	28
Concordia	21	Vermilion	53
De Soto	32	Vernon	28
East Baton Rouge	1,959	Washington	92
East Carroll	18	Webster	24
East Feliciana	89	West Baton Rouge	59
Evangeline	40	West Carroll	5
Franklin	11	West Feliciana	95
Grant	17	Winn	31
Iberia	67		
Iberville	257		
Jackson	19		
Jefferson	914		
Jefferson Davis	35		
La Salle	11		
Lafayette	351		
Lafourche	77		
Lincoln	40		
Livingston	91		
Madison	21		
Morehouse	31		
Natchitoches	57		
Orleans	2,394		
Ouachita	294		
Plaquemines	22		
Pointe Coupee	35		
Rapides	204		
Red River	7		
Richland	25		
		Total	10,028

**Persons Living with HIV/AIDS
Metro New Orleans
as of June 30, 2012**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **15,224** cumulative cases have been detected in the New Orleans MSA since the beginning of the epidemic, including **158** pediatric cases.
- **6,628** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA since the beginning of the epidemic, including **54** pediatric deaths
- **7,010** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,221**
Persons living with AIDS: **3,789**

Gender

	Cases	Percent
Women	1,832	26 %
Men	5,178	74 %
Total	7,010	100%

Age Category

Current Age	Cases	Percent
0 - 12	25	<1 %
13 - 19	51	1 %
20 - 24	289	4 %
25 - 29	553	8 %
30 - 34	704	10 %
35 - 39	724	10 %
40 - 44	920	13 %
45 - 49	1,144	16 %
50 - 54	1,086	15 %
55 - 59	764	11 %
60+	750	11 %
Total	7,010	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,786	1,489	4,275	61 %
White, Non-Hispanic	2,031	233	2,264	32 %
Hispanic	297	92	389	6 %
Asian/Pacific Islander	27	6	33	<1 %
American Indian	6	0	6	<1 %
Unknown	3	2	5	<1 %
Multi-race	28	10	38	1 %
Total	5,178	1,832	7,010	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,706	0	2,706	58 %
Injection drug use	345	202	547	12 %
Men who have sex with men and inject drugs	301	0	301	6 %
Heterosexual contact	328	699	1,027	22 %
Transfusion/Hemophilia	18	15	33	1 %
Perinatal	28	40	68	1 %
Total	3,726	956	4,682	100 %

<i>No Identified Risk</i>	<i>1,452</i>	<i>876</i>	<i>2,328</i>	
---------------------------	--------------	------------	--------------	--

Persons Living with AIDS
Metro New Orleans
as of June 30, 2012

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **10,429** cumulative AIDS cases have been diagnosed in the New Orleans MSA since the beginning of the epidemic, including **83** pediatric cases.
- **3,789** persons are currently living with AIDS in the New Orleans MSA.

Gender

	Cases	Percent
Women	950	25 %
Men	2,839	75 %
Total	3,789	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	18	<1 %
20 - 24	78	2 %
25 - 29	175	5 %
30 - 34	287	8 %
35 - 39	361	10 %
40 - 44	523	14 %
45 - 49	696	18 %
50 - 54	688	18 %
55 - 59	485	13 %
60+	474	13 %
Total	3,789	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,512	781	2,293	61 %
White, Non-Hispanic	1,132	98	1,230	32 %
Hispanic	166	62	228	6 %
Asian/Pacific Islander	10	3	13	<1 %
American Indian	1	0	1	<1 %
Unknown	0	1	1	<1 %
Multi-race	18	5	23	1 %
Total	2,839	950	3,789	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,479	0	1,479	56 %
Injection drug use	220	107	327	12 %
Men who have sex with men and inject drugs	200	0	200	8 %
Heterosexual contact	202	394	596	22 %
Transfusion/Hemophilia	12	9	21	1 %
Perinatal	12	19	31	1 %
Total	2,125	529	2,654	100 %

No Identified Risk

714 421 1,135

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2011

• 489 persons were newly diagnosed with HIV in the New Orleans MSA in 2011.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	371	76 %	Black, Non-Hispanic	338	69 %
Women	118	24 %	White, Non-Hispanic	110	22 %
Total	489	100 %	Hispanic	39	8 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	489	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	<1 %	Men who have sex with men	203	64 %
13 - 24	110	22 %	Injection drug use	30	9 %
25 - 34	150	31 %	Men who have sex with men and inject drugs	6	2 %
35 - 44	83	17 %	Heterosexual contact	75	24 %
45+	144	29 %	Perinatal	3	1 %
Total	489	100 %	Total	317	100 %
			<i>No Identified Risk</i>	<i>172</i>	

AIDS CASES DIAGNOSED January - December 2011

• 288 persons were newly diagnosed with AIDS in the New Orleans MSA in 2011.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	209	73 %	Black, Non-Hispanic	198	69 %
Women	79	27 %	White, Non-Hispanic	72	25 %
Total	288	100 %	Hispanic	16	6 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	288	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	9 %	Men who have sex with men	106	61 %
25 - 34	77	27 %	Injection drug use	21	12 %
35 - 44	72	25 %	Men who have sex with men and inject drugs	5	3 %
45+	113	39 %	Heterosexual contact	38	22 %
Total	288	100 %	Perinatal	3	2 %
			Total	173	100 %
			<i>No Identified Risk</i>	<i>115</i>	

**Persons Living with HIV/AIDS
Metro Baton Rouge
as of June 30, 2012**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **7,461** cumulative cases have been detected in the Baton Rouge MSA since the beginning of the epidemic, including **75** pediatric cases.
- **3,167** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA since the beginning of the epidemic, including **19** pediatric deaths.
- **4,888** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
 Persons living with HIV: **2,195**
 Persons living with AIDS: **2,693**

Gender

	Cases	Percent
Women	1,799	37 %
Men	3,089	63 %
Total	4,888	100 %

Age Category

Current Age	Cases	Percent
0 - 12	24	<1 %
13 - 19	47	1 %
20 - 24	214	4 %
25 - 29	426	9 %
30 - 34	589	12 %
35 - 39	627	13 %
40 - 44	694	14 %
45 - 49	698	14 %
50 - 54	696	14 %
55 - 59	451	9 %
60+	422	9 %
Total	4,888	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,387	1,617	4,004	82 %
White, Non-Hispanic	629	161	790	16 %
Hispanic	46	13	59	1 %
Asian/Pacific Islander	8	2	10	<1 %
American Indian	2	1	3	<1 %
Unknown	2	0	2	<1 %
Multi-race	15	5	20	<1 %
Total	3,089	1,799	4,888	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,151	0	1,151	38 %
Injection drug use	402	240	642	21 %
Men who have sex with men and inject drugs	204	0	204	7 %
Heterosexual contact	307	630	937	31 %
Transfusion/Hemophilia	7	10	17	1 %
Perinatal	31	27	58	2 %
Total	2,102	907	3,009	100 %

<i>No Identified Risk</i>	987	892	1,879	
---------------------------	-----	-----	-------	--

Persons Living with AIDS
Metro Baton Rouge
as of June 30, 2012

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,033** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA since the beginning of the epidemic, including **33** pediatric cases.
- **2,693** persons are currently living with AIDS in the Baton Rouge MSA.

Gender

	Cases	Percent
Women	911	34 %
Men	1,782	66 %
Total	2,693	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	15	1 %
20 - 24	58	2 %
25 - 29	154	6 %
30 - 34	261	10 %
35 - 39	335	12 %
40 - 44	421	16 %
45 - 49	438	16 %
50 - 54	436	16 %
55 - 59	292	11 %
60+	280	10 %
Total	2,693	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,389	833	2,222	83 %
White, Non-Hispanic	355	69	424	16 %
Hispanic	24	8	32	1 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	2	0	2	<1 %
Multi-race	9	1	10	<1 %
Total	1,782	911	2,693	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	628	0	628	36 %
Injection drug use	305	142	447	25 %
Men who have sex with men and inject drugs	145	0	145	8 %
Heterosexual contact	173	336	509	29 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	11	8	19	1 %
Total	1,267	494	1,761	100 %

<i>No Identified Risk</i>	<i>515</i>	<i>417</i>	<i>932</i>	
---------------------------	------------	------------	------------	--

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2011**

- 319 persons were newly diagnosed with HIV in the Baton Rouge MSA in 2011.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	202	63 %	Black, Non-Hispanic	271	85 %
Women	117	37 %	White, Non-Hispanic	42	13 %
Total	319	100 %	Hispanic	2	1 %
			Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	319	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	84	26 %	Men who have sex with men	91	52 %
25 - 34	97	30 %	Injection drug use	15	9 %
35 - 44	66	21 %	Men who have sex with men and inject drugs	3	2 %
45+	72	23 %	Heterosexual contact	65	37 %
Total	319	100 %	Total	174	100 %
			<i>No Identified Risk</i>	<i>145</i>	

AIDS CASES DIAGNOSED January - December 2011

- 227 persons were newly diagnosed with AIDS in the Baton Rouge MSA in 2011.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	154	68 %	Black, Non-Hispanic	204	90 %
Women	73	32 %	White, Non-Hispanic	19	8 %
Total	227	100 %	Hispanic	2	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	227	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	22	10 %	Men who have sex with men	52	39 %
25 - 34	64	28 %	Injection drug use	31	23 %
35 - 44	65	29 %	Men who have sex with men and inject drugs	1	1 %
45+	76	33 %	Heterosexual contact	47	35 %
Total	227	100 %	Perinatal	3	2 %
			Total	134	100 %
			<i>No Identified Risk</i>	<i>93</i>	

Persons Living with HIV/AIDS**Region 1: New Orleans Region****as of June 30, 2012***Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

- **14,291** cumulative cases have been detected in Region 1 since the beginning of the epidemic, including **141** pediatric cases.
- **6,238** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred since the beginning of the epidemic, including **49** pediatric deaths.
- **6,333** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **2,916**
Persons living with AIDS: **3,417**

Gender

	Cases	Percent
Women	1,649	26 %
Men	4,684	74 %
Total	6,333	100 %

Age Category

Current Age	Cases	Percent
0 - 12	19	<1 %
13 - 19	40	1 %
20 - 24	256	4 %
25 - 29	498	8 %
30 - 34	638	10 %
35 - 39	668	11 %
40 - 44	828	13 %
45 - 49	1,018	16 %
50 - 54	985	16 %
55 - 59	692	11 %
60+	691	11 %
Total	6,333	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,574	1,368	3,942	62 %
White, Non-Hispanic	1,769	180	1,949	31 %
Hispanic	282	84	366	6 %
Asian/Pacific Islander	26	6	32	1 %
American Indian	6	0	6	<1 %
Unknown	3	1	4	<1 %
Multi-race	24	10	34	1 %
Total	4,684	1,649	6,333	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,422	0	2,422	58 %
Injection drug use	318	183	501	12 %
Men who have sex with men and inject drugs	281	0	281	7 %
Heterosexual contact	296	625	921	22 %
Transfusion/Hemophilia	15	14	29	1 %
Perinatal	22	33	55	1 %
Total	3,354	855	4,209	100 %
<i>No Identified Risk</i>	<i>1,330</i>	<i>794</i>	<i>2,124</i>	

**Persons Living with AIDS
Region 1: New Orleans Region
as of June 30, 2012**

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **9,771** cumulative AIDS cases have been diagnosed in Region 1 since the beginning of the epidemic, including **74** pediatric cases.
- **3,417** persons are currently living with AIDS in Region 1.

Gender

	Cases	Percent
Women	861	25 %
Men	2,556	75 %
Total	3,417	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	13	<1 %
20 - 24	67	2 %
25 - 29	163	5 %
30 - 34	257	8 %
35 - 39	329	10 %
40 - 44	467	14 %
45 - 49	620	18 %
50 - 54	627	18 %
55 - 59	439	13 %
60+	431	13 %
Total	3,417	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,387	721	2,108	62 %
White, Non-Hispanic	985	75	1,060	31 %
Hispanic	157	57	214	6 %
Asian/Pacific Islander	10	3	13	<1 %
American Indian	1	0	1	<1 %
Multi-race	16	5	21	1 %
Total	2,556	861	3,417	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,326	0	1,326	55 %
Injection drug use	202	98	300	13 %
Men who have sex with men and inject drugs	186	0	186	8 %
Heterosexual contact	182	357	539	23 %
Transfusion/Hemophilia	9	8	17	1 %
Perinatal	9	16	25	1 %
Total	1,914	479	2,393	100 %
<i>No Identified Risk</i>	<i>642</i>	<i>382</i>	<i>1,024</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 1: New Orleans Region

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

HIV CASES DIAGNOSED January - December 2011

- 441 persons were newly diagnosed with HIV in Region 1 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	334	76 %	Black, Non-Hispanic	303	69 %
Women	107	24 %	White, Non-Hispanic	99	22 %
Total	441	100 %	Hispanic	37	8 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	441	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	<1 %	Men who have sex with men	179	64 %
13 - 24	91	21 %	Injection drug use	28	10 %
25 - 34	139	32 %	Men who have sex with men and inject drugs	5	2 %
35 - 44	77	17 %	Heterosexual contact	63	23 %
45+	132	30 %	Perinatal	3	1 %
Total	441	100 %	Total	278	100 %

No Identified Risk 163

AIDS CASES DIAGNOSED January - December 2011

- 261 persons were newly diagnosed with AIDS in Region 1 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	187	72 %	Black, Non-Hispanic	183	70 %
Women	74	28 %	White, Non-Hispanic	63	24 %
Total	261	100 %	Hispanic	15	6 %
			Total	261	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	22	8 %	Men who have sex with men	92	60 %
25 - 34	73	28 %	Injection drug use	20	13 %
35 - 44	63	24 %	Men who have sex with men and inject drugs	5	3 %
45+	103	39 %	Heterosexual contact	33	22 %
Total	261	100 %	Perinatal	3	2 %
			Total	153	100 %

No Identified Risk 108

Persons Living with HIV/AIDS**Region 2: Baton Rouge Region**

as of June 30, 2012

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **7,210** cumulative cases have been detected in Region 2 since the beginning of the epidemic, including **70** pediatric cases.
- **3,057** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred since the beginning of the epidemic, including **16** pediatric deaths.
- **4,700** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,110**
Persons living with AIDS: **2,590**

Gender

	Cases	Percent
Women	1,741	37 %
Men	2,959	63 %
Total	4,700	100 %

Age Category

Current Age	Cases	Percent
0 - 12	22	<1 %
13 - 19	47	1 %
20 - 24	208	4 %
25 - 29	416	9 %
30 - 34	575	12 %
35 - 39	601	13 %
40 - 44	665	14 %
45 - 49	667	14 %
50 - 54	660	14 %
55 - 59	436	9 %
60+	403	9 %
Total	4,700	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,346	1,596	3,942	84 %
White, Non-Hispanic	543	125	668	14 %
Hispanic	43	13	56	1 %
Asian/Pacific Islander	8	1	9	<1 %
American Indian	2	1	3	<1 %
Unknown	2	0	2	<1 %
Multi-race	15	5	20	<1 %
Total	2,959	1,741	4,700	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,090	0	1,090	38 %
Injection drug use	386	229	615	21 %
Men who have sex with men and inject drugs	196	0	196	7 %
Heterosexual contact	293	609	902	31 %
Transfusion/Hemophilia	6	10	16	1 %
Perinatal	30	25	55	2 %
Total	2,001	873	2,874	100 %
<i>No Identified Risk</i>	<i>958</i>	<i>868</i>	<i>1,826</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of June 30, 2012**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **4,871** cumulative AIDS cases have been diagnosed in Region 2 since the beginning of the epidemic, including **31** pediatric cases.
- **2,590** persons are currently living with AIDS in Region 2.

Gender

	Cases	Percent
Women	882	34 %
Men	1,708	66 %
Total	2,590	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	15	1 %
20 - 24	57	2 %
25 - 29	152	6 %
30 - 34	255	10 %
35 - 39	322	12 %
40 - 44	405	16 %
45 - 49	416	16 %
50 - 54	414	16 %
55 - 59	281	11 %
60+	270	10 %
Total	2,590	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,364	821	2,185	84 %
White, Non-Hispanic	307	52	359	14 %
Hispanic	23	8	31	1 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	2	0	2	<1 %
Multi-race	9	1	10	<1 %
Total	1,708	882	2,590	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	595	0	595	35 %
Injection drug use	291	136	427	25 %
Men who have sex with men and inject drugs	141	0	141	8 %
Heterosexual contact	165	325	490	29 %
Transfusion/Hemophilia	4	8	12	1 %
Perinatal	11	7	18	1 %
Total	1,207	476	1,683	100 %

<i>No Identified Risk</i>	<i>501</i>	<i>406</i>	<i>907</i>	
---------------------------	------------	------------	------------	--

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2011**

- 306 persons were newly diagnosed with HIV in Region 2 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	194	63 %	Black, Non-Hispanic	269	88 %
Women	112	37 %	White, Non-Hispanic	32	10 %
Total	306	100 %	Hispanic	1	<1 %
			Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	306	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	81	26 %	Men who have sex with men	87	52 %
25 - 34	96	31 %	Injection drug use	14	8 %
35 - 44	62	20 %	Men who have sex with men and inject drugs	3	2 %
45+	67	22 %	Heterosexual contact	62	37 %
Total	306	100 %	Total	166	100 %

No Identified Risk 140

AIDS CASES DIAGNOSED January - December 2011

- 218 persons were newly diagnosed with AIDS in Region 2 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	148	68 %	Black, Non-Hispanic	200	92 %
Women	70	32 %	White, Non-Hispanic	15	7 %
Total	218	100 %	Hispanic	1	<1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	218	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	22	10 %	Men who have sex with men	50	39 %
25 - 34	63	29 %	Injection drug use	30	23 %
35 - 44	60	28 %	Men who have sex with men and inject drugs	1	1 %
45+	73	33 %	Heterosexual contact	45	35 %
Total	218	100 %	Perinatal	3	2 %
			Total	129	100 %

No Identified Risk 89

Persons Living with AIDS**Region 3: Houma Region**

as of June 30, 2012

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **795** cumulative AIDS cases have been diagnosed in Region 3 since the beginning of the epidemic, including **10** pediatric cases.
- **409** persons are currently living with AIDS in Region 3.

Gender

	Cases	Percent
Women	121	30 %
Men	288	70 %
Total	409	100 %

Age Category

Current Age	Cases	Percent
13 - 19	4	1 %
20 - 24	14	3 %
25 - 29	27	7 %
30 - 34	38	9 %
35 - 39	41	10 %
40 - 44	50	12 %
45 - 49	73	18 %
50 - 54	65	16 %
55 - 59	54	13 %
60+	43	11 %
Total	409	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	155	90	245	60 %
White, Non-Hispanic	116	24	140	34 %
Hispanic	13	3	16	4 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	1	2	3	1 %
Multi-race	2	1	3	1 %
Total	288	121	409	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	150	0	150	53 %
Injection drug use	28	12	40	14 %
Men who have sex with men and inject drugs	10	0	10	4 %
Heterosexual contact	22	54	76	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	3	4	7	2 %
Total	213	71	284	100 %

No Identified Risk

75

50

125

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2011**

- 58 persons were newly diagnosed with HIV in Region 3 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	45	78 %	Black, Non-Hispanic	40	69 %
Women	13	22 %	White, Non-Hispanic	12	21 %
Total	58	100 %	Hispanic	5	9 %
			Asian/Pacific Islander	1	2 %
			Total	58	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	21	36 %	Men who have sex with men	28	58 %
25 - 34	13	22 %	Injection drug use	3	6 %
35 - 44	10	17 %	Heterosexual contact	17	35 %
45+	14	24 %	Total	48	100 %
Total	58	100 %			

No Identified Risk 10

AIDS CASES DIAGNOSED January - December 2011

- 31 persons were newly diagnosed with AIDS in Region 3 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	26	84 %	Black, Non-Hispanic	20	65 %
Women	5	16 %	White, Non-Hispanic	5	16 %
Total	31	100 %	Hispanic	5	16 %
			Asian/Pacific Islander	1	3 %
			Total	31	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	3	10 %	Men who have sex with men	13	54 %
25 - 34	7	23 %	Injection drug use	3	12 %
35 - 44	10	32 %	Heterosexual contact	8	33 %
45+	11	35 %	Total	24	100 %
Total	31	100 %			

No Identified Risk 7

Persons Living with HIV/AIDS**Region 4: Lafayette Region**

as of June 30, 2012

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- **2,059** cumulative cases have been detected in Region 4 since the beginning of the epidemic, including **17** pediatric cases.
- **943** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred since the beginning of the epidemic, including **10** pediatric deaths.
- **1,417** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **639**
Persons living with AIDS: **778**

Gender

	Cases	Percent
Women	370	26 %
Men	1,047	74 %
Total	1,417	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	8	1 %
20 - 24	55	4 %
25 - 29	98	7 %
30 - 34	148	10 %
35 - 39	137	10 %
40 - 44	173	12 %
45 - 49	291	21 %
50 - 54	233	16 %
55 - 59	161	11 %
60+	109	8 %
Total	1,417	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	555	260	815	58 %
White, Non-Hispanic	431	98	529	37 %
Hispanic	50	3	53	4 %
Asian/Pacific Islander	0	3	3	<1 %
American Indian	2	1	3	<1 %
Unknown	1	0	1	<1 %
Multi-race	8	5	13	1 %
Total	1,047	370	1,417	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	502	0	502	54 %
Injection drug use	74	44	118	13 %
Men who have sex with men and inject drugs	56	0	56	6 %
Heterosexual contact	73	165	238	26 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
Total	716	217	933	100 %

<i>No Identified Risk</i>	<i>331</i>	<i>153</i>	<i>484</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS**Region 4: Lafayette Region**

as of June 30, 2012

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- **1,380** cumulative AIDS cases have been diagnosed in Region 4 since the beginning of the epidemic, including **12** pediatric cases.
- **778** persons are currently living with AIDS in Region 4.

Gender

	Cases	Percent
Women	179	23 %
Men	599	77 %
Total	778	100 %

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	5	1 %
20 - 24	10	1 %
25 - 29	35	4 %
30 - 34	70	9 %
35 - 39	73	9 %
40 - 44	97	12 %
45 - 49	182	23 %
50 - 54	132	17 %
55 - 59	105	13 %
60+	68	9 %
Total	778	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	307	132	439	56 %
White, Non-Hispanic	264	43	307	39 %
Hispanic	24	1	25	3 %
Asian/Pacific Islander	0	1	1	<1 %
Multi-race	4	2	6	1 %
Total	599	179	778	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	300	0	300	56 %
Injection drug use	46	20	66	12 %
Men who have sex with men and inject drugs	39	0	39	7 %
Heterosexual contact	38	87	125	23 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	1	5	6	1 %
Total	427	113	540	100 %

No Identified Risk

172 66 238

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2011**

- 94 persons were newly diagnosed with HIV in Region 4 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	64	68 %	Black, Non-Hispanic	59	63 %
Women	30	32 %	White, Non-Hispanic	28	30 %
Total	94	100 %	Hispanic	6	6 %
			Multi-race	1	1 %
			Total	94	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	19	20 %	Men who have sex with men	40	58 %
25 - 34	28	30 %	Injection drug use	10	14 %
35 - 44	24	26 %	Men who have sex with men and inject drugs	1	1 %
45+	23	24 %	Heterosexual contact	18	26 %
Total	94	100 %	Total	69	100 %

No Identified Risk 25

AIDS CASES DIAGNOSED January - December 2011

- 57 persons were newly diagnosed with AIDS in Region 4 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	42	74 %	Black, Non-Hispanic	39	68 %
Women	15	26 %	White, Non-Hispanic	16	28 %
Total	57	100 %	Hispanic	2	4 %
			Total	57	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	9 %	Men who have sex with men	26	63 %
25 - 34	16	28 %	Injection drug use	6	15 %
35 - 44	16	28 %	Heterosexual contact	8	20 %
45+	20	35 %	Perinatal	1	2 %
Total	57	100 %	Total	41	100 %

No Identified Risk 16

Persons Living with AIDS
Region 5: Lake Charles Region
as of June 30, 2012

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **901** cumulative AIDS cases have been diagnosed in Region 5 since the beginning of the epidemic, including **5** pediatric cases.
- **561** persons are currently living with AIDS in Region 5.

Gender

	Cases	Percent
Women	110	20 %
Men	451	80 %
Total	561	100 %

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	4	1 %
20 - 24	6	1 %
25 - 29	31	6 %
30 - 34	42	7 %
35 - 39	74	13 %
40 - 44	92	16 %
45 - 49	109	19 %
50 - 54	113	20 %
55 - 59	48	9 %
60+	41	7 %
Total	561	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	249	73	322	57 %
White, Non-Hispanic	158	34	192	34 %
Hispanic	37	2	39	7 %
Asian/Pacific Islander	2	0	2	<1 %
Multi-race	5	1	6	1 %
Total	451	110	561	100 %

Exposure Category

Cases with a reported risk:

	Men	Women	Total	Percent
Men who have sex with men	200	0	200	47 %
Injection drug use	62	22	84	20 %
Men who have sex with men and inject drugs	52	0	52	12 %
Heterosexual contact	43	43	86	20 %
Transfusion/Hemophilia	3	0	3	1 %
Perinatal	2	2	4	1 %
Total	362	67	429	100 %

No Identified Risk

89 43 132

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2011**

- 52 persons were newly diagnosed with HIV in Region 5 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	36	69 %	Black, Non-Hispanic	35	67 %
Women	16	31 %	White, Non-Hispanic	14	27 %
Total	52	100 %	Hispanic	2	4 %
			Multi-race	1	2 %
			Total	52	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	22	56 %
13 - 24	13	25 %	Injection drug use	1	3 %
25 - 34	16	31 %	Heterosexual contact	15	38 %
35 - 44	5	10 %	Perinatal	1	3 %
45+	17	33 %	Total	39	100 %
Total	52	100 %	<i>No Identified Risk</i>	<i>13</i>	

AIDS CASES DIAGNOSED January - December 2011

- 41 persons were newly diagnosed with AIDS in Region 5 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	33	80 %	Black, Non-Hispanic	25	61 %
Women	8	20 %	White, Non-Hispanic	13	32 %
Total	41	100 %	Hispanic	2	5 %
			Multi-race	1	2 %
			Total	41	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	10 %	Men who have sex with men	17	57 %
25 - 34	12	29 %	Injection drug use	4	13 %
35 - 44	8	20 %	Men who have sex with men and inject drugs	2	7 %
45+	17	41 %	Heterosexual contact	7	23 %
Total	41	100 %	Total	30	100 %
			<i>No Identified Risk</i>	<i>11</i>	

Persons Living with HIV/AIDS

Region 6: Alexandria Region

as of June 30, 2012

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **1,392** cumulative cases have been detected in Region 6 since the beginning of the epidemic, including **15** pediatric cases.
- **509** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred since the beginning of the epidemic, including **4** pediatric deaths.
- **797** persons are currently living with HIV/AIDS in Region 6.
 Persons living with HIV: **396**
 Persons living with AIDS: **401**

Gender

	Cases	Percent
Women	261	33 %
Men	536	67 %
Total	797	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	1 %
13 - 19	8	1 %
20 - 24	31	4 %
25 - 29	56	7 %
30 - 34	97	12 %
35 - 39	107	13 %
40 - 44	98	12 %
45 - 49	135	17 %
50 - 54	119	15 %
55 - 59	84	11 %
60+	58	7 %
Total	797	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	345	204	549	69 %
White, Non-Hispanic	153	50	203	25 %
Hispanic	33	4	37	5 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	0	1	1	<1 %
Multi-race	3	2	5	1 %
Total	536	261	797	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	213	0	213	40 %
Injection drug use	50	26	76	14 %
Men who have sex with men and inject drugs	38	0	38	7 %
Heterosexual contact	63	119	182	35 %
Transfusion/Hemophilia	7	1	8	2 %
Perinatal	6	3	9	2 %
Total	377	149	526	100 %
<i>No Identified Risk</i>	<i>159</i>	<i>112</i>	<i>271</i>	

Persons Living with AIDS**Region 6: Alexandria Region**

as of June 30, 2012

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **856** cumulative AIDS cases have been diagnosed in Region 6 since the beginning of the epidemic, including **5** pediatric cases.
- **401** persons are currently living with AIDS in Region 6.

Gender

	Cases	Percent
Women	120	30 %
Men	281	70 %
Total	401	100 %

Age Category

Current Age	Cases	Percent
13 - 19	2	<1 %
20 - 24	10	2 %
25 - 29	13	3 %
30 - 34	38	9 %
35 - 39	53	13 %
40 - 44	53	13 %
45 - 49	77	19 %
50 - 54	70	17 %
55 - 59	46	11 %
60+	39	10 %
Total	401	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	189	93	282	70 %
White, Non-Hispanic	79	25	104	26 %
Hispanic	11	1	12	3 %
Asian/Pacific Islander	1	0	1	<1 %
Multi-race	1	1	2	<1 %
Total	281	120	401	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	105	0	105	38 %
Injection drug use	26	15	41	15 %
Men who have sex with men and inject drugs	29	0	29	11 %
Heterosexual contact	36	57	93	34 %
Transfusion/Hemophilia	5	0	5	2 %
Perinatal	1	2	3	1 %
Total	202	74	276	100 %

No Identified Risk

79 46 125

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

HIV CASES DIAGNOSED January - December 2011

- 73 persons were newly diagnosed with HIV in Region 6 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	53	73 %	Black, Non-Hispanic	37	51 %
Women	20	27 %	White, Non-Hispanic	15	21 %
Total	73	100 %	Hispanic	21	29 %
			Total	73	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	21	60 %
13 - 24	13	18 %	Injection drug use	1	3 %
25 - 34	22	30 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	17	23 %	Heterosexual contact	9	27 %
45+	20	27 %	Perinatal	1	3 %
Total	73	100 %	Total	33	100 %

No Identified Risk 40

AIDS CASES DIAGNOSED January - December 2011

- 40 persons were newly diagnosed with AIDS in Region 6 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	25	62 %	Black, Non-Hispanic	28	70 %
Women	15	38 %	White, Non-Hispanic	8	20 %
Total	40	100 %	Hispanic	4	10 %
			Total	40	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	12 %	Men who have sex with men	10	43 %
25 - 34	7	18 %	Injection drug use	4	17 %
35 - 44	16	40 %	Heterosexual contact	9	39 %
45+	12	30 %	Total	23	100 %
Total	40	100 %			

No Identified Risk 17

Persons Living with HIV/AIDS

Region 7: Shreveport Region

as of June 30, 2012

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **2,207** cumulative cases have been detected in Region 7 since the beginning of the epidemic, including **27** pediatric cases.
- **999** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred since the beginning of the epidemic, including **11** pediatric deaths.
- **1,470** persons are currently living with HIV/AIDS in Region 7.
 Persons living with HIV: **703**
 Persons living with AIDS: **767**

Gender

	Cases	Percent
Women	431	29 %
Men	1,039	71 %
Total	1,470	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	20	1 %
20 - 24	109	7 %
25 - 29	146	10 %
30 - 34	185	13 %
35 - 39	165	11 %
40 - 44	190	13 %
45 - 49	203	14 %
50 - 54	200	14 %
55 - 59	140	10 %
60+	109	7 %
Total	1,470	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	703	351	1,054	72 %
White, Non-Hispanic	301	73	374	25 %
Hispanic	19	5	24	1 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	7	1	8	1 %
Multi-race	5	1	6	<1 %
Total	1,039	431	1,470	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	548	0	548	53 %
Injection drug use	63	40	103	10 %
Men who have sex with men and inject drugs	83	0	83	8 %
Heterosexual contact	80	197	277	27 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	7	7	14	1 %
Total	784	247	1,031	100 %
<i>No Identified Risk</i>	<i>255</i>	<i>184</i>	<i>439</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of June 30, 2012**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **1,449** cumulative AIDS cases have been diagnosed in Region 7 since the beginning of the epidemic, including **19** pediatric cases.
- **767** persons are currently living with AIDS in Region 7.

Gender

	Cases	Percent
Women	205	27 %
Men	562	73 %
Total	767	100 %

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	7	1 %
20 - 24	30	4 %
25 - 29	47	6 %
30 - 34	68	9 %
35 - 39	82	11 %
40 - 44	106	14 %
45 - 49	122	16 %
50 - 54	132	17 %
55 - 59	102	13 %
60+	70	9 %
Total	767	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	381	167	548	71 %
White, Non-Hispanic	163	34	197	26 %
Hispanic	10	3	13	2 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	4	0	4	1 %
Multi-race	2	1	3	<1 %
Total	562	205	767	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	276	0	276	49 %
Injection drug use	44	16	60	11 %
Men who have sex with men and inject drugs	53	0	53	9 %
Heterosexual contact	60	99	159	28 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	5	8	1 %
Total	438	123	561	100 %
<i>No Identified Risk</i>	<i>124</i>	<i>82</i>	<i>206</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 7: Shreveport Region

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

HIV CASES DIAGNOSED January - December 2011

- 130 persons were newly diagnosed with HIV in Region 7 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	96	74 %	Black, Non-Hispanic	110	85 %
Women	34	26 %	White, Non-Hispanic	15	12 %
Total	130	100 %	Hispanic	2	2 %
			Asian/Pacific Islander	1	1 %
			American Indian	2	2 %
			Total	130	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	49	38 %	Men who have sex with men	63	78 %
25 - 34	43	33 %	Injection drug use	1	1 %
35 - 44	17	13 %	Heterosexual contact	17	21 %
45+	21	16 %	Total	81	100 %
Total	130	100 %	<i>No Identified Risk</i>	<i>49</i>	

AIDS CASES DIAGNOSED January - December 2011

- 66 persons were newly diagnosed with AIDS in Region 7 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	48	73 %	Black, Non-Hispanic	57	86 %
Women	18	27 %	White, Non-Hispanic	9	14 %
Total	66	100 %	Total	66	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	13	20 %	Men who have sex with men	25	68 %
25 - 34	22	33 %	Injection drug use	1	3 %
35 - 44	16	24 %	Heterosexual contact	11	30 %
45+	15	23 %	Total	37	100 %
Total	66	100 %	<i>No Identified Risk</i>	<i>29</i>	

Persons Living with HIV/AIDS**Region 8: Monroe Region**

as of June 30, 2012

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- **1,611** cumulative cases have been detected in Region 8 since the beginning of the epidemic, including **17** pediatric cases.
- **676** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred since the beginning of the epidemic, including **4** pediatric deaths.
- **980** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **463**
Persons living with AIDS: **517**

Gender

	Cases	Percent
Women	347	35 %
Men	633	65 %
Total	980	100 %

Age Category

Current Age	Cases	Percent
0 - 12	6	1 %
13 - 19	14	1 %
20 - 24	45	5 %
25 - 29	72	7 %
30 - 34	133	14 %
35 - 39	120	12 %
40 - 44	123	13 %
45 - 49	145	15 %
50 - 54	136	14 %
55 - 59	108	11 %
60+	78	8 %
Total	980	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	449	296	745	76 %
White, Non-Hispanic	162	44	206	21 %
Hispanic	13	4	17	2 %
Asian/Pacific Islander	3	1	4	<1 %
American Indian	2	0	2	<1 %
Unknown	1	0	1	<1 %
Multi-race	3	2	5	1 %
Total	633	347	980	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	318	0	318	47 %
Injection drug use	41	35	76	11 %
Men who have sex with men and inject drugs	38	0	38	6 %
Heterosexual contact	73	153	226	33 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	4	8	12	2 %
Total	476	199	675	100 %

<i>No Identified Risk</i>	<i>157</i>	<i>148</i>	<i>305</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS**Region 8: Monroe Region****as of June 30, 2012***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,033** cumulative AIDS cases have been diagnosed in Region 8 since the beginning of the epidemic, including **8** pediatric cases.
- **517** persons are currently living with AIDS in Region 8.

Gender

	Cases	Percent
Women	161	31 %
Men	356	69 %
Total	517	100 %

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	3	1 %
20 - 24	11	2 %
25 - 29	22	4 %
30 - 34	59	11 %
35 - 39	74	14 %
40 - 44	72	14 %
45 - 49	79	15 %
50 - 54	80	15 %
55 - 59	69	13 %
60+	47	9 %
Total	517	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	247	137	384	74 %
White, Non-Hispanic	98	21	119	23 %
Hispanic	8	2	10	2 %
Asian/Pacific Islander	2	0	2	<1 %
Multi-race	1	1	2	<1 %
Total	356	161	517	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	168	0	168	45 %
Injection drug use	25	23	48	13 %
Men who have sex with men and inject drugs	28	0	28	7 %
Heterosexual contact	49	75	124	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	0	3	1 %
Total	275	99	374	100 %

No Identified Risk

<i>81</i>	<i>62</i>	<i>143</i>
-----------	-----------	------------

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region**

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

HIV CASES DIAGNOSED January - December 2011

- 74 persons were newly diagnosed with HIV in Region 8 in 2011.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	51	69 %	Black, Non-Hispanic	55	74 %
Women	23	31 %	White, Non-Hispanic	14	19 %
Total	74	100 %	Hispanic	3	4 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	74	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	22	30 %	Men who have sex with men	29	55 %
25 - 34	15	20 %	Men who have sex with men and inject drugs	2	4 %
35 - 44	16	22 %	Heterosexual contact	21	40 %
45+	21	28 %	Perinatal	1	2 %
Total	74	100 %	Total	53	100 %

No Identified Risk 21

AIDS CASES DIAGNOSED January - December 2011

- 38 persons were newly diagnosed with AIDS in Region 8 in 2011.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	26	68 %	Black, Non-Hispanic	26	68 %
Women	12	32 %	White, Non-Hispanic	11	29 %
Total	38	100 %	Hispanic	1	3 %
			Total	38	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	11 %	Men who have sex with men	15	56 %
25 - 34	13	34 %	Injection drug use	1	4 %
35 - 44	10	26 %	Men who have sex with men and inject drugs	1	4 %
45+	11	29 %	Heterosexual contact	10	37 %
Total	38	100 %	Total	27	100 %

No Identified Risk 11

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of June 30, 2012

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,444** cumulative cases have been detected in Region 9 since the beginning of the epidemic, including **18** pediatric cases.
- **606** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred since the beginning of the epidemic, including **7** pediatric deaths.
- **1,079** persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: **491**
 Persons living with AIDS: **588**

Gender

	Cases	Percent
Women	290	27 %
Men	789	73 %
Total	1,079	100 %

Age Category

Current Age	Cases	Percent
0 - 12	8	1 %
13 - 19	3	<1 %
20 - 24	40	4 %
25 - 29	65	6 %
30 - 34	95	9 %
35 - 39	117	11 %
40 - 44	158	15 %
45 - 49	208	19 %
50 - 54	180	17 %
55 - 59	109	10 %
60+	96	9 %
Total	1,079	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	356	186	542	50 %
White, Non-Hispanic	403	95	498	46 %
Hispanic	22	7	29	3 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	1	0	1	<1 %
Unknown	0	1	1	<1 %
Multi-race	6	0	6	1 %
Total	789	290	1,079	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	415	0	415	54 %
Injection drug use	64	49	113	15 %
Men who have sex with men and inject drugs	49	0	49	6 %
Heterosexual contact	60	106	166	22 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	9	7	16	2 %
Total	603	162	765	100 %

<i>No Identified Risk</i>	<i>186</i>	<i>128</i>	<i>314</i>	
---------------------------	------------	------------	------------	--

**Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of June 30, 2012**

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **982** cumulative AIDS cases have been diagnosed in Region 9 since the beginning of the epidemic, including **10** pediatric cases.
- **588** persons are currently living with AIDS in Region 9.

Gender

	Cases	Percent
Women	134	23 %
Men	454	77 %
Total	588	100 %

Age Category

Current Age	Cases	Percent
13 - 19	1	<1 %
20 - 24	7	1 %
25 - 29	21	4 %
30 - 34	37	6 %
35 - 39	60	10 %
40 - 44	87	15 %
45 - 49	133	23 %
50 - 54	107	18 %
55 - 59	69	12 %
60+	66	11 %
Total	588	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	202	85	287	49 %
White, Non-Hispanic	234	44	278	47 %
Hispanic	12	4	16	3 %
American Indian	1	0	1	<1 %
Unknown	0	1	1	<1 %
Multi-race	5	0	5	1 %
Total	454	134	588	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	236	0	236	55 %
Injection drug use	47	25	72	17 %
Men who have sex with men and inject drugs	27	0	27	6 %
Heterosexual contact	33	50	83	19 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	4	2	6	1 %
Total	353	77	430	100 %
 <i>No Identified Risk</i>	 <i>101</i>	 <i>57</i>	 <i>158</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2011**

- 70 persons were newly diagnosed with HIV in Region 9 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	45	64 %	Black, Non-Hispanic	47	67 %
Women	25	36 %	White, Non-Hispanic	21	30 %
Total	70	100 %	Hispanic	2	3 %
			Total	70	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	15	21 %	Men who have sex with men	22	51 %
25 - 34	17	24 %	Injection drug use	5	12 %
35 - 44	17	24 %	Men who have sex with men and inject drugs	1	2 %
45+	21	30 %	Heterosexual contact	15	35 %
Total	70	100 %	Total	43	100 %

No Identified Risk 27

AIDS CASES DIAGNOSED January - December 2011


- 43 persons were newly diagnosed with AIDS in Region 9 in 2011.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	34	79 %	Black, Non-Hispanic	25	58 %
Women	9	21 %	White, Non-Hispanic	15	35 %
Total	43	100 %	Hispanic	1	2 %
			Unknown	1	2 %
			Multi-race	1	2 %
			Total	43	100 %


<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	12 %	Men who have sex with men	14	56 %
25 - 34	7	16 %	Injection drug use	4	16 %
35 - 44	15	35 %	Heterosexual contact	6	24 %
45+	16	37 %	Perinatal	1	4 %
Total	43	100 %	Total	25	100 %

No Identified Risk 18

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2002-2011)




*The number of new HIV diagnoses in 2011 is subject to change as the data are not finalized.




* The number of new AIDS diagnoses in 2011 is subject to change as the data are not finalized.

10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2002-2011)



*The number of persons living with HIV/AIDS in 2011 is an overestimate because the 2011 death registry match has not occurred as of June 30, 2012.



*The number of persons living with AIDS in 2011 is an overestimate because the 2011 death registry match has not occurred as of June 30, 2012.