


Third Quarter 2013

Vol. 11, No. 3



LOUISIANA HIV/AIDS Surveillance
Quarterly Report
September 30, 2013

Louisiana Department of Health and Hospitals
Office of Public Health
STD/HIV Program (SHP)
1450 Poydras Street, Suite 2136
New Orleans, Louisiana 70112
504.568.7474
haprequest@la.gov
<http://dhh.louisiana.gov/hiv>
www.hiv411.org

Louisiana Department of Health and Hospitals
Office of Public Health
STD/HIV Program

DeAnn Gruber, PhD, LCSW
Administrative Director

Jeffrey Hitt, M.Ed
Associate Director

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Jessica Fridge, MSPH
Surveillance Program Manager

Editor/Production:

Demerial Banks, MPH

Data Management/Analysis and Surveillance:

Demerial Banks, MPH, Surveillance Epidemiologist

Tania Bechtel, Data Manager

Joseph Foxhood, BA, OPH IT Project Manager

George Stephens, Information Systems Administrator

Josette Russell, Data Entry Specialist

Lakeesha Brumfield, Data Entry Specialist

William T. Robinson, Ph.D., Biostatistician

Elliot Brannon, MPH, Perinatal Surveillance Coordinator

Rashad Arcement, MSPH, Incidence & Resistance Coordinator

Field Epidemiologists:

Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard
Connie Gordon

Region 1
Regions 1, 3

Cheryl Edney, BS MT(ASCP)
Gayle Norris, MA
Gale Terry, LPN

Regions 4, 5, 6
Regions 7, 8
Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2002-2012)	40
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2002-2012)	41
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of September 30, 2013¹.

- In 2011, Louisiana ranked **3rd** in the nation for estimated HIV case rates (30.2 per 100,000 population) and 11th in the estimated number of HIV infection cases. The New Orleans MSA ranked **2nd** in the nation and the Baton Rouge MSA ranked **3rd** in the nation for estimated HIV case rates (43.0 and 41.6 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (Vol. 23), for the first time, had a national comparison of estimated HIV case rates.
- According to the same report, Louisiana ranked **4th** highest in estimated state AIDS case rates (18.1 per 100,000) and 11th in the number of estimated AIDS cases in 2011. The Baton Rouge metropolitan area ranked **1st** in estimated AIDS case rates (29.4 per 100,000) and the New Orleans metropolitan area ranked **4th** in estimated AIDS case rates (25.3 per 100,000) in 2011 among the large metropolitan areas in the nation.
- A total of **19,087** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,421** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2012, of the persons who reported a risk factor, 61% reported being MSM, and an additional 1% reported being MSM and an injection drug user (IDU). As of September 30, 2013, 51% of all people living with HIV infection in Louisiana were MSM.
- In 2012, **1,079** new HIV cases were diagnosed in Louisiana. Of these cases, **33%** (n=352) occurred in Region 1 (New Orleans) and **24%** (n=257) occurred in Region 2 (Baton Rouge).
- In 2012, **784** new AIDS cases were diagnosed in Louisiana. Of these cases, **33%** (n=257) occurred in Region 1 (New Orleans) and **25%** (n=197) occurred in Region 2 (Baton Rouge).
- In Louisiana, **30%** of new HIV cases and **33%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2012, **75%** of newly diagnosed HIV cases and **79%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2012, **54%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **27%** occurred among persons 25-34 years old.
- As of September 30, 2013, a cumulative total of **33,981** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **339** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the STD/HIV Program through September 30, 2013, is **14,666** including **114** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS
Louisiana
as of September 30, 2013

- **33,981** cumulative cases have been detected in Louisiana, including **339** pediatric cases.
- **14,666** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **114** pediatric deaths.
- **19,087** persons are currently living with HIV/AIDS in Louisiana.
 Persons living with HIV: **8,665**
 Persons living with AIDS: **10,421**

Gender

	Cases	Percent
Women	5,683	30 %
Men	13,404	70 %
Total	19,087	100 %

Age Category

Current Age	Cases	Percent
0 - 12	67	<1 %
13 - 19	153	1 %
20 - 24	915	5 %
25 - 29	1,602	8 %
30 - 34	2,048	11 %
35 - 39	2,272	12 %
40 - 44	2,429	13 %
45 - 49	2,855	15 %
50 - 54	2,911	15 %
55 - 59	1,985	10 %
60+	1,850	10 %
Total	19,087	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	8,367	4,704	13,071	68 %
White, Non-Hispanic	4,274	784	5,058	26 %
Hispanic	589	145	734	4 %
Asian/Pacific Islander	61	14	75	<1 %
American Indian	26	6	32	<1 %
Unknown	8	1	9	<1 %
Multi-race	79	29	108	1 %
Total	13,404	5,683	19,087	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	6,476	0	6,476	51 %
Injection drug use	1,106	657	1,763	14 %
Men who have sex with men and inject drugs	807	0	807	6 %
Heterosexual contact	1,077	2,279	3,356	26 %
Transfusion/Hemophilia	45	32	77	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	95	104	199	2 %
Total	9,606	3,073	12,679	100 %
<i>No Identified Risk</i>	<i>3,798</i>	<i>2,610</i>	<i>6,408</i>	

Persons Living with AIDS
Louisiana
as of September 30, 2013

- **23,013** cumulative AIDS cases have been diagnosed in Louisiana, including **182** pediatric cases.
- **10,421** persons are currently living with AIDS in Louisiana.

Gender

	Cases	Percent
Women	2,923	28 %
Men	7,498	72 %
Total	10,421	100 %

Age Category

Current Age	Cases	Percent
0 - 12	12	<1 %
13 - 19	40	<1 %
20 - 24	248	2 %
25 - 29	527	5 %
30 - 34	922	9 %
35 - 39	1,173	11 %
40 - 44	1,403	13 %
45 - 49	1,774	17 %
50 - 54	1,850	18 %
55 - 59	1,282	12 %
60+	1,190	11 %
Total	10,421	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	4,697	2,451	7,148	69 %
White, Non-Hispanic	2,407	363	2,770	27 %
Hispanic	309	89	398	4 %
Asian/Pacific	27	5	32	<1 %
American Indian	10	2	12	<1 %
Multi-race	48	13	61	1 %
Total	7,498	2,923	10,421	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,510	0	3,510	49 %
Injection drug use	765	377	1,142	16 %
Men who have sex with men and inject drugs	553	0	553	8 %
Heterosexual contact	657	1,212	1,869	26 %
Transfusion/Hemophilia	32	22	54	1 %
Perinatal	39	46	85	1 %
Total	5,556	1,657	7,213	100 %
<i>No Identified Risk</i>	<i>1,942</i>	<i>1,266</i>	<i>3,208</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2012

• **1,079** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	756	70 %	Black, Non-Hispanic	812	75 %
Women	323	30 %	White, Non-Hispanic	204	19 %
Total	1,079	100 %	Hispanic	45	4 %
			Asian/Pacific Islander	8	1 %
			American Indian	2	<1 %
			Unknown	1	<1 %
			Multi-race	7	1 %
			Total	1,079	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	10	1 %	Men who have sex with men	399	61 %
13 - 24	274	25 %	Injection drug use	48	7 %
25 - 34	291	27 %	Men who have sex with men and inject drugs	9	1 %
35 - 44	209	19 %	Heterosexual contact	183	28 %
45+	295	27 %	Perinatal	10	2 %
Total	1,079	100 %	Total	649	100 %
			<i>No Identified Risk</i>	<i>430</i>	

AIDS CASES DIAGNOSED January - December 2012

• **784** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	526	67 %	Black, Non-Hispanic	618	79 %
Women	258	33 %	White, Non-Hispanic	124	16 %
Total	784	100 %	Hispanic	29	4 %
			Asian/Pacific Islander	3	<1 %
			American Indian	3	<1 %
			Multi-race	7	1 %
			Total	784	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	248	54 %
13 - 24	114	15 %	Injection drug use	54	12 %
25 - 34	218	28 %	Men who have sex with men and inject drugs	10	2 %
35 - 44	190	24 %	Heterosexual contact	145	31 %
45+	261	33 %	Perinatal	5	1 %
Total	784	100 %	Total	462	100 %
			<i>No Identified Risk</i>	<i>322</i>	

**Persons Living with HIV/AIDS by Parish
as of September 30, 2013**

Third Quarter 2013

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	108	Sabine	20
Allen	245	St. Bernard	158
Ascension	213	St. Charles	99
Assumption	27	St. Helena	19
Avoyelles	148	St. James	64
Beauregard	50	St. John the Baptist	159
Bienville	32	St. Landry	269
Bossier	171	St. Martin	110
Caddo	1,015	St. Mary	81
Calcasieu	646	St. Tammany	392
Caldwell	19	Tangipahoa	347
Cameron	3	Tensas	36
Catahoula	28	Terrebonne	204
Claiborne	63	Union	32
Concordia	46	Vermilion	89
De Soto	57	Vernon	61
East Baton Rouge	3,731	Washington	180
East Carroll	32	Webster	71
East Feliciana	150	West Baton Rouge	99
Evangeline	81	West Carroll	14
Franklin	37	West Feliciana	152
Grant	32	Winn	46
Iberia	114		
Iberville	433		
Jackson	29		
Jefferson	1,728		
Jefferson Davis	60		
La Salle	23		
Lafayette	705		
Lafourche	127		
Lincoln	88		
Livingston	185		
Madison	33		
Morehouse	63		
Natchitoches	114		
Orleans	4,582		
Ouachita	577		
Plaquemines	37		
Pointe Coupee	54		
Rapides	436		
Red River	13		
Richland	47		
		Total	19,087

**Persons Living with AIDS by Parish
as of September 30, 2013**

Third Quarter 2013

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	63	Sabine	15
Allen	133	St. Bernard	94
Ascension	113	St. Charles	47
Assumption	11	St. Helena	11
Avoyelles	82	St. James	34
Beauregard	34	St. John the Baptist	90
Bienville	15	St. Landry	157
Bossier	85	St. Martin	68
Caddo	522	St. Mary	48
Calcasieu	373	St. Tammany	216
Caldwell	8	Tangipahoa	194
Cameron	2	Tensas	16
Catahoula	15	Terrebonne	121
Claiborne	35	Union	23
Concordia	26	Vermilion	50
De Soto	30	Vernon	30
East Baton Rouge	2,060	Washington	99
East Carroll	18	Webster	29
East Feliciana	85	West Baton Rouge	57
Evangeline	42	West Carroll	7
Franklin	14	West Feliciana	94
Grant	16	Winn	25
Iberia	66		
Iberville	255		
Jackson	19		
Jefferson	951		
Jefferson Davis	31		
La Salle	12		
Lafayette	356		
Lafourche	79		
Lincoln	43		
Livingston	101		
Madison	15		
Morehouse	36		
Natchitoches	56		
Orleans	2,489		
Ouachita	297		
Plaquemines	28		
Pointe Coupee	34		
Rapides	211		
Red River	9		
Richland	26		
		Total	10,421

Persons Living with HIV/AIDS
Metro New Orleans
as of September 30, 2013

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **15,724** cumulative cases have been detected in the New Orleans MSA, including **161** pediatric cases.
- **6,839** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **55** pediatric deaths
- **7,219** persons are currently living with HIV/AIDS in the New Orleans MSA.
 Persons living with HIV: **3,270**
 Persons living with AIDS: **3,949**

Gender

	Cases	Percent
Women	1,894	26 %
Men	5,325	74 %
Total	7,219	100 %

Age Category

Current Age	Cases	Percent
0 - 12	23	<1 %
13 - 19	49	1 %
20 - 24	321	4 %
25 - 29	603	8 %
30 - 34	717	10 %
35 - 39	812	11 %
40 - 44	881	12 %
45 - 49	1,099	15 %
50 - 54	1,110	15 %
55 - 59	805	11 %
60+	799	11 %
Total	7,219	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,920	1,553	4,473	62 %
White, Non-Hispanic	2,014	225	2,239	31 %
Hispanic	316	100	416	6 %
Asian/Pacific Islander	32	7	39	1 %
American Indian	8	0	8	<1 %
Unknown	4	1	5	<1 %
Multi-race	31	8	39	1 %
Total	5,325	1,894	7,219	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,862	0	2,862	58 %
Injection drug use	343	203	546	11 %
Men who have sex with men and inject drugs	288	0	288	6 %
Heterosexual contact	343	752	1,095	22 %
Transfusion/Hemophilia	18	14	32	1 %
Perinatal	32	42	74	2 %
Total	3,886	1,011	4,897	100 %
<i>No Identified Risk</i>	<i>1,439</i>	<i>883</i>	<i>2,322</i>	

Persons Living with AIDS
Metro New Orleans
as of September 30, 2013

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **10,778** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **84** pediatric cases.
- **3,949** persons are currently living with AIDS in the New Orleans MSA.

Gender

	Cases	Percent
Women	1,009	26 %
Men	2,940	74 %
Total	3,949	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	12	<1 %
20 - 24	94	2 %
25 - 29	173	4 %
30 - 34	315	8 %
35 - 39	404	10 %
40 - 44	509	13 %
45 - 49	689	17 %
50 - 54	712	18 %
55 - 59	530	13 %
60+	508	13 %
Total	3,949	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,605	834	2,439	62 %
White, Non-Hispanic	1,121	101	1,222	31 %
Hispanic	177	68	245	6 %
Asian/Pacific Islander	14	3	17	<1 %
American Indian	2	0	2	<1 %
Multi-race	21	3	24	1 %
Total	2,940	1,009	3,949	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,561	0	1,561	56 %
Injection drug use	222	115	337	12 %
Men who have sex with men and inject drugs	194	0	194	7 %
Heterosexual contact	217	423	640	23 %
Transfusion/Hemophilia	13	9	22	1 %
Perinatal	12	20	32	1 %
Total	2,219	567	2,786	100 %
<i>No Identified Risk</i>	<i>721</i>	<i>442</i>	<i>1,163</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2012

- 408 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	286	70 %	Black, Non-Hispanic	295	72 %
Women	122	30 %	White, Non-Hispanic	86	21 %
Total	408	100 %	Hispanic	21	5 %
			Asian/Pacific Islander	4	1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Total	408	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	1 %	Men who have sex with men	167	63 %
13 - 24	99	24 %	Injection drug use	15	6 %
25 - 34	118	29 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	76	19 %	Heterosexual contact	76	29 %
45+	111	27 %	Perinatal	4	2 %
Total	408	100 %	Total	264	100 %
			<i>No Identified Risk</i>	<i>144</i>	

AIDS CASES DIAGNOSED January - December 2012

- 288 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	208	72 %	Black, Non-Hispanic	218	76 %
Women	80	28 %	White, Non-Hispanic	49	17 %
Total	288	100 %	Hispanic	16	6 %
			Asian/Pacific Islander	2	1 %
			American Indian	1	<1 %
			Multi-race	2	1 %
			Total	288	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	112	58 %
13 - 24	40	14 %	Injection drug use	16	8 %
25 - 34	79	27 %	Men who have sex with men and inject drugs	6	3 %
35 - 44	76	26 %	Heterosexual contact	58	30 %
45+	92	32 %	Perinatal	2	1 %
Total	288	100 %	Total	194	100 %
			<i>No Identified Risk</i>	<i>94</i>	

Persons Living with HIV/AIDS
Metro Baton Rouge
as of September 30, 2013

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **7,792** cumulative cases have been detected in the Baton Rouge MSA, including **78** pediatric cases.
- **3,331** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **19** pediatric deaths
- **5,036** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
 Persons living with HIV: **2,226**
 Persons living with AIDS: **2,810**

Gender

	Cases	Percent
Women	1,835	36 %
Men	3,201	64 %
Total	5,036	100 %

Age Category

Current Age	Cases	Percent
0 - 12	23	<1 %
13 - 19	44	1 %
20 - 24	236	5 %
25 - 29	421	8 %
30 - 34	603	12 %
35 - 39	643	13 %
40 - 44	689	14 %
45 - 49	707	14 %
50 - 54	720	14 %
55 - 59	484	10 %
60+	466	9 %
Total	5,036	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,493	1,649	4,142	82 %
White, Non-Hispanic	635	162	797	16 %
Hispanic	48	14	62	1 %
Asian/Pacific Islander	8	3	11	<1 %
American Indian	2	1	3	<1 %
Multi-race	15	6	21	<1 %
Total	3,201	1,835	5,036	100%

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,253	0	1,253	40 %
Injection drug use	391	236	627	20 %
Men who have sex with men and inject drugs	200	0	200	6 %
Heterosexual contact	319	659	978	31 %
Transfusion/Hemophilia	6	9	15	<1 %
Perinatal	30	28	58	2 %
Total	2,199	932	3,131	100 %
<i>No Identified Risk</i>	<i>1,002</i>	<i>903</i>	<i>1,905</i>	

**Persons Living with AIDS
Metro Baton Rouge
as of September 30, 2013**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,300** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **35** pediatric cases.
- **2,810** persons are currently living with AIDS in the Baton Rouge MSA.

Gender

	Cases	Percent
Women	949	34 %
Men	1,861	66 %
Total	2,810	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	13	<1 %
20 - 24	63	2 %
25 - 29	152	5 %
30 - 34	283	10 %
35 - 39	344	12 %
40 - 44	413	15 %
45 - 49	441	16 %
50 - 54	471	17 %
55 - 59	320	11 %
60+	306	11 %
Total	2,810	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,477	867	2,344	83 %
White, Non-Hispanic	347	72	419	15 %
Hispanic	24	8	32	1 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	2	0	2	<1 %
Multi-race	8	2	10	<1 %
Total	1,861	949	2,810	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	671	0	671	37 %
Injection drug use	301	145	446	24 %
Men who have sex with men and inject drugs	143	0	143	8 %
Heterosexual contact	193	346	539	29 %
Transfusion/Hemophilia	4	7	11	1 %
Perinatal	11	9	20	1 %
Total	1,323	507	1,830	100 %
<i>No Identified Risk</i>	<i>538</i>	<i>442</i>	<i>980</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro Baton Rouge**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

HIV CASES DIAGNOSED January - December 2012

- 275 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	171	62 %	Black, Non-Hispanic	237	86 %
Women	104	38 %	White, Non-Hispanic	31	11 %
Total	275	100 %	Hispanic	6	2 %
			Asian/Pacific Islander	1	<1 %
			Total	275	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	1 %	Men who have sex with men	83	55 %
13 - 24	66	24 %	Injection drug use	14	9 %
25 - 34	84	31 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	56	20 %	Heterosexual contact	48	32 %
45+	65	24 %	Perinatal	4	3 %
Total	275	100 %	Total	152	100 %
			<i>No Identified Risk</i>	<i>123</i>	

AIDS CASES DIAGNOSED January - December 2012

- 209 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	128	61 %	Black, Non-Hispanic	185	89 %
Women	81	39 %	White, Non-Hispanic	21	10 %
Total	209	100 %	Hispanic	3	1 %
			Total	209	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	14 %	Men who have sex with men	54	51 %
25 - 34	60	29 %	Injection drug use	20	19 %
35 - 44	50	24 %	Men who have sex with men and inject drugs	2	2 %
45+	69	33 %	Heterosexual contact	30	28 %
Total	209	100 %	Total	106	100 %
			<i>No Identified Risk</i>	<i>103</i>	

Persons Living with HIV/AIDS

Region 1: New Orleans Region

as of September 30, 2013

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **14,728** cumulative cases have been detected in Region 1, including **144** pediatric cases.
- **6,423** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **50** pediatric deaths.
- **6,505** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **2,943**
Persons living with AIDS: **3,562**

Gender

	Cases	Percent
Women	1,703	26 %
Men	4,802	74 %
Total	6,505	100 %

Age Category

Current Age	Cases	Percent
0 - 12	18	<1 %
13 - 19	42	1 %
20 - 24	282	4 %
25 - 29	540	8 %
30 - 34	656	10 %
35 - 39	735	11 %
40 - 44	788	12 %
45 - 49	981	15 %
50 - 54	1,001	15 %
55 - 59	729	11 %
60+	733	11 %
Total	6,505	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,698	1,420	4,118	63 %
White, Non-Hispanic	1,735	174	1,909	29 %
Hispanic	301	93	394	6 %
Asian/Pacific Islander	30	7	37	1 %
American Indian	8	0	8	<1 %
Unknown	4	1	5	<1 %
Multi-race	26	8	34	1 %
Total	4,802	1,703	6,505	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,557	0	2,557	58 %
Injection drug use	320	184	504	11 %
Men who have sex with men and inject drugs	266	0	266	6 %
Heterosexual contact	310	679	989	22 %
Transfusion/Hemophilia	15	14	29	1 %
Perinatal	25	35	60	1 %
Total	3,493	912	4,405	100 %
<i>No Identified Risk</i>	<i>1,309</i>	<i>791</i>	<i>2,100</i>	

Persons Living with AIDS
Region 1: New Orleans Region
as of September 30, 2013

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

• **10,081** cumulative AIDS cases have been diagnosed in Region 1, including **75** pediatric cases.

• **3,562** persons are currently living with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	917	26 %
Men	2,645	74 %
Total	3,562	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	3	<1 %	Black, Non-Hispanic	1,475	768	2,243	63 %
13 - 19	10	<1 %	White, Non-Hispanic	969	79	1,048	29 %
20 - 24	77	2 %	Hispanic	168	64	232	7 %
25 - 29	159	4 %	Asian/Pacific Islander	13	3	16	<1 %
30 - 34	292	8 %	American Indian	2	0	2	<1 %
35 - 39	357	10 %	Multi-race	18	3	21	1 %
40 - 44	462	13 %	Total	2,645	917	3,562	100 %
45 - 49	620	17 %					
50 - 54	637	18 %					
55 - 59	485	14 %					
60+	460	13 %					
Total	3,562	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,395	0	1,395	55 %
Injection drug use	207	107	314	12 %
Men who have sex with men and inject drugs	180	0	180	7 %
Heterosexual contact	195	388	583	23 %
Transfusion/Hemophilia	10	9	19	1 %
Perinatal	8	17	25	1 %
Total	1,995	521	2,516	100 %
<i>No Identified Risk</i>	<i>650</i>	<i>396</i>	<i>1,046</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2012**

- 352 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	248	70 %	Black, Non-Hispanic	261	74 %
Women	104	30 %	White, Non-Hispanic	69	20 %
Total	352	100 %	Hispanic	17	5 %
			Asian/Pacific Islander	3	1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Total	352	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	3	1 %	Men who have sex with men	147	63 %
13 - 24	84	24 %	Injection drug use	12	5 %
25 - 34	107	30 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	66	19 %	Heterosexual contact	70	30 %
45+	92	26 %	Perinatal	3	1 %
Total	352	100 %	Total	234	100 %
			<i>No Identified Risk</i>	<i>118</i>	

AIDS CASES DIAGNOSED January - December 2012

- 257 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	186	72 %	Black, Non-Hispanic	200	78 %
Women	71	28 %	White, Non-Hispanic	37	14 %
Total	257	100 %	Hispanic	16	6 %
			Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Multi-race	2	1 %
			Total	257	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	98	56 %
13 - 24	32	12 %	Injection drug use	15	9 %
25 - 34	76	30 %	Men who have sex with men and inject drugs	6	3 %
35 - 44	67	26 %	Heterosexual contact	53	30 %
45+	81	32 %	Perinatal	2	1 %
Total	257	100 %	Total	174	100 %
			<i>No Identified Risk</i>	<i>83</i>	

Persons Living with HIV/AIDS**Region 2: Baton Rouge Region****as of September 30, 2013***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **7,522** cumulative cases have been detected in Region 2, including **73** pediatric cases.
- **3,212** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,832** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,134**
Persons living with AIDS: **2,698**

Gender

	Cases	Percent
Women	1,775	37 %
Men	3,057	63 %
Total	4,832	100 %

Age Category

Current Age	Cases	Percent
0 - 12	22	<1 %
13 - 19	42	1 %
20 - 24	225	5 %
25 - 29	410	8 %
30 - 34	589	12 %
35 - 39	615	13 %
40 - 44	664	14 %
45 - 49	676	14 %
50 - 54	682	14 %
55 - 59	460	10 %
60+	447	9 %
Total	4,832	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,444	1,625	4,069	84 %
White, Non-Hispanic	543	128	671	14 %
Hispanic	45	13	58	1 %
Asian/Pacific Islander	8	2	10	<1 %
American Indian	2	1	3	<1 %
Multi-race	15	6	21	<1 %
Total	3,057	1,775	4,832	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1180	0	1180	40 %
Injection drug use	373	226	599	20 %
Men who have sex with men and inject drugs	192	0	192	6 %
Heterosexual contact	304	636	940	32 %
Transfusion/Hemophilia	5	9	14	<1 %
Perinatal	29	26	55	2 %
Total	2,083	897	2,980	100 %
<i>No Identified Risk</i>	<i>974</i>	<i>878</i>	<i>1,852</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of September 30, 2013**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **5,123** cumulative AIDS cases have been diagnosed in Region 2, including **33** pediatric cases.
- **2,698** persons are currently living with AIDS in Region 2.

<u>Gender</u>	Cases	Percent
Women	915	34 %
Men	1,783	66 %
Total	2,698	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	4	<1 %	Black, Non-Hispanic	1447	851	2,298	85 %
13 - 19	13	<1 %	White, Non-Hispanic	300	55	355	13 %
20 - 24	58	2 %	Hispanic	23	7	30	1 %
25 - 29	149	6 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	278	10 %	American Indian	2	0	2	<1 %
35 - 39	329	12 %	Multi-race	8	2	10	<1 %
40 - 44	400	15%	Total	1,783	915	2,698	100 %
45 - 49	421	16 %					
50 - 54	446	17 %					
55 - 59	304	11 %					
60+	296	11 %					
Total	2,698	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	635	0	635	36 %
Injection drug use	286	140	426	24 %
Men who have sex with men and inject drugs	139	0	139	8 %
Heteros	184	334	518	30 %
Tranfusion/Hemophilia	3	7	10	1 %
Perinatal	11	8	19	1 %
Total	1,258	489	1,747	100 %
<i>No Identified Risk</i>	<i>525</i>	<i>426</i>	<i>951</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2012**

- 257 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	158	61 %	Black, Non-Hispanic	230	89 %
Women	99	39 %	White, Non-Hispanic	20	8 %
Total	257	100 %	Hispanic	6	2 %
			Asian/Pacific Islander	1	<1 %
			Total	257	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	4	2 %	Men who have sex with men	74	52 %
13 - 24	61	24 %	Injection drug use	12	9 %
25 - 34	81	32 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	51	20 %	Heterosexual contact	48	34 %
45+	60	23 %	Perinatal	4	3 %
Total	257	100 %	Total	141	100 %

No Identified Risk 116

AIDS CASES DIAGNOSED January - December 2012

- 197 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	121	61 %	Black, Non-Hispanic	179	91 %
Women	76	39 %	White, Non-Hispanic	15	8 %
Total	197	100 %	Hispanic	3	2 %
			Total	197	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	26	13 %	Men who have sex with men	51	50 %
25 - 34	60	30 %	Injection drug use	19	19 %
35 - 44	48	24 %	Men who have sex with men and inject drugs	2	2 %
45+	63	32 %	Heterosexual contact	29	29 %
Total	197	100 %	Total	101	100 %

No Identified Risk 96

Persons Living with HIV/AIDS**Region 3: Houma Region****as of September 30, 2013***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **1,141** cumulative cases have been detected in Region 3, including **17** pediatric cases.
- **523** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **761** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **331**
Persons living with AIDS: **430**

Gender

	Cases	Percent
Women	239	31 %
Men	522	69 %
Total	761	100 %

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	9	1 %
20 - 24	47	6 %
25 - 29	84	11 %
30 - 34	84	11 %
35 - 39	85	11 %
40 - 44	91	12 %
45 - 49	104	14 %
50 - 54	111	15 %
55 - 59	74	10 %
60+	70	9 %
Total	761	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	275	180	455	60 %
White, Non-Hispanic	219	50	269	35 %
Hispanic	19	5	24	3 %
Asian/Pacific Islander	2	1	3	<1 %
American Indian	1	2	3	<1 %
Multi-race	6	1	7	1 %
Total	522	239	761	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	294	0	294	56 %
Injection drug use	33	20	53	10 %
Men who have sex with men and inject drugs	16	0	16	3 %
Heterosexual contact	33	115	148	28 %
Perinatal	7	5	12	2 %
Total	383	140	523	100 %

<i>No Identified Risk</i>	<i>139</i>	<i>99</i>	<i>238</i>	
---------------------------	------------	-----------	------------	--

Persons Living with AIDS**Region 3: Houma Region****as of September 30, 2013***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **845** cumulative AIDS cases have been diagnosed in Region 3, including **10** pediatric cases.
- **430** persons are currently living with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	127	30 %
Men	303	70 %
Total	430	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
13 - 19	2	<1 %	Black, Non-Hispanic	163	98	261	61 %
20 - 24	19	4 %	White, Non-Hispanic	122	23	145	34 %
25 - 29	28	7 %	Hispanic	14	2	16	4 %
30 - 34	40	9 %	Asian/Pacific Islander	1	1	2	<1 %
35 - 39	46	11 %	American Indian	1	2	3	1 %
40 - 44	49	11 %	Multi-race	2	1	3	1 %
45 - 49	69	16 %	Total	303	127	430	100 %
50 - 54	75	17 %					
55 - 59	57	13 %					
60+	45	10 %					
Total	430	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	162	0	162	55 %
Injection drug use	25	11	36	12 %
Men who have sex with men and inject drugs	12	0	12	4 %
Heterosexual contact	21	57	78	26 %
Perinatal	3	4	7	2 %
Total	223	72	295	100 %
<i>No Identified Risk</i>	<i>80</i>	<i>55</i>	<i>135</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2012**

- 56 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	39	70 %	Black, Non-Hispanic	47	84 %
Women	17	30 %	White, Non-Hispanic	6	11 %
Total	56	100 %	Hispanic	3	5 %
			Total	56	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	15	52 %
13 - 24	13	23 %	Injection drug use	1	3 %
25 - 34	14	25 %	Heterosexual contact	12	41 %
35 - 44	12	21 %	Perinatal	1	3 %
45+	16	29 %	Total	29	100 %
Total	56	100 %	<i>No Identified Risk</i>	<i>27</i>	

AIDS CASES DIAGNOSED January - December 2012

- 37 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	26	70 %	Black, Non-Hispanic	30	81 %
Women	11	30 %	White, Non-Hispanic	6	16 %
Total	37	100 %	Hispanic	1	3 %
			Total	37	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	11	30 %	Men who have sex with men	15	68 %
25 - 34	7	19 %	Heterosexual contact	7	32 %
35 - 44	8	22 %	Total	22	100 %
45+	11	30 %	<i>No Identified Risk</i>	<i>15</i>	
Total	37	100 %			

Persons Living with HIV/AIDS**Region 4: Lafayette Region****as of September 30, 2013***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **2,184** cumulative cases have been detected in Region 4, including **17** pediatric cases.
- **1,003** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,476** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **674**
Persons living with AIDS: **802**

Gender

	Cases	Percent
Women	369	25 %
Men	1,107	75 %
Total	1,476	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	9	1 %
20 - 24	67	5 %
25 - 29	115	8 %
30 - 34	138	9 %
35 - 39	142	10 %
40 - 44	178	12 %
45 - 49	263	18 %
50 - 54	257	17 %
55 - 59	172	12 %
60+	132	9 %
Total	1,476	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	585	260	845	57 %
White, Non-Hispanic	456	98	554	38 %
Hispanic	51	3	54	4 %
Asian/Pacific Islander	2	2	4	<1 %
American Indian	2	1	3	<1 %
Unknown	1	0	1	<1 %
Multi-race	10	5	15	1 %
Total	1,107	369	1,476	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	536	0	536	55 %
Injection drug use	77	46	123	13 %
Men who have sex with men and inject drugs	60	0	60	6 %
Heterosexual contact	77	161	238	24 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	5	5	10	1 %
Total	760	214	974	100 %

<i>No Identified Risk</i>	<i>347</i>	<i>155</i>	<i>502</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS**Region 4: Lafayette Region****as of September 30, 2013***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

• **1,458** cumulative AIDS cases have been diagnosed in Region 4, including **14** pediatric cases.

• **802** persons are currently living with AIDS in Region 4.

Gender	Cases	Percent
Women	180	22 %
Men	622	78 %
Total	802	100 %

Age Category			Race/Ethnicity	Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	322	134	456	57 %
13 - 19	2	<1 %	White, Non-Hispanic	269	42	311	39 %
20 - 24	17	2 %	Hispanic	23	1	24	3 %
25 - 29	44	5 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	64	8 %	Multi-race	7	2	9	1 %
35 - 39	79	10 %	Total	622	180	802	100 %
40 - 44	94	12 %					
45 - 49	161	20 %					
50 - 54	157	20 %					
55 - 59	101	13 %					
60+	82	10 %					
Total	802	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	313	0	313	55 %
Injection drug use	51	22	73	13 %
Men who have sex with men and inject drugs	41	0	41	7 %
Heterosexual contact	38	88	126	22 %
Tranfusion/Hemophilia	3	1	4	1 %
Perinatal	3	4	7	1 %
Total	449	115	564	100 %
<i>No Identified Risk</i>	<i>173</i>	<i>65</i>	<i>238</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2012**

- 81 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	63	78 %	Black, Non-Hispanic	55	68 %
Women	18	22 %	White, Non-Hispanic	23	28 %
Total	81	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	2	2 %
			Total	81	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	27	33 %	Men who have sex with men	33	63 %
25 - 34	15	19 %	Injection drug use	6	12 %
35 - 44	13	16 %	Heterosexual contact	13	25 %
45+	26	32%	Total	52	100%
Total	81	100 %	<i>No Identified Risk</i>	29	

AIDS CASES DIAGNOSED January - December 2012

- 59 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	42	71 %	Black, Non-Hispanic	39	66 %
Women	17	29 %	White, Non-Hispanic	17	29 %
Total	59	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			Total	59	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	10	17 %	Men who have sex with men	19	54 %
25 - 34	13	22 %	Injection drug use	6	17 %
35 - 44	9	15 %	Heterosexual contact	9	26 %
45+	27	46 %	Perinatal	1	3 %
Total	59	100 %	Total	35	100 %
			<i>No Identified Risk</i>	24	

Persons Living with HIV/AIDS
Region 5: Lake Charles Region
as of September 30, 2013

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **1,354** cumulative cases have been detected in Region 5, including **10** pediatric cases.
- **541** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **1,004** persons are currently living with HIV/AIDS in Region 5.
 Persons living with HIV: **431**
 Persons living with AIDS: **573**

Gender

	Cases	Percent
Women	240	24 %
Men	764	76 %
Total	1,004	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	6	1 %
20 - 24	45	4 %
25 - 29	72	7 %
30 - 34	99	10 %
35 - 39	120	12 %
40 - 44	138	14 %
45 - 49	168	17 %
50 - 54	179	18 %
55 - 59	96	10 %
60+	78	8 %
Total	1,004	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	414	163	577	57 %
White, Non-Hispanic	256	68	324	32 %
Hispanic	79	5	84	8 %
Asian/Pacific Islander	5	0	5	<1 %
American Indian	3	0	3	<1 %
Multi-race	7	4	11	1 %
Total	764	240	1,004	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	326	0	326	45 %
Injection drug use	88	36	124	17 %
Men who have sex with men and inject drugs	70	0	70	10 %
Heterosexual contact	88	103	191	26 %
Transfusion/Hemophilia	4	0	4	1 %
Perinatal	4	7	11	2 %
Total	580	146	726	100 %
 <i>No Identified Risk</i>	 <i>184</i>	 <i>94</i>	 <i>278</i>	

**Persons Living with AIDS
Region 5: Lake Charles Region
as of September 30, 2013**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **940** cumulative AIDS cases have been diagnosed in Region 5, including **6** pediatric cases.
- **573** persons are currently living with AIDS in Region 5.

<u>Gender</u>	Cases	Percent
Women	117	20 %
Men	456	80 %
Total	573	100 %

<u>Age Category</u>	Cases	Percent	<u>Race/Ethnicity</u>	Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	251	79	330	58 %
13 - 19	2	<1 %	White, Non-Hispanic	159	34	193	34 %
20 - 24	11	2 %	Hispanic	39	2	41	7 %
25 - 29	34	6 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	50	9 %	Multi-race	5	2	7	1 %
35 - 39	64	11%	Total	456	117	573	100 %
40 - 44	82	14 %					
45 - 49	108	19 %					
50 - 54	114	20 %					
55 - 59	55	10 %					
60+	51	9 %					
Total	573	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	203	0	203	46 %
Injection drug use	61	22	83	19 %
Men who have sex with men and inject drugs	50	0	50	11 %
Heterosexual contact	50	47	97	22 %
Tranfusion/Hemophilia	3	0	3	1 %
Perinatal	3	3	6	1 %
Total	370	72	442	100 %
<i>No Identified Risk</i>	<i>86</i>	<i>45</i>	<i>131</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2012**

- 39 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	32	82 %	Black, Non-Hispanic	17	44 %
Women	7	18 %	White, Non-Hispanic	19	49 %
Total	39	100 %	Hispanic	1	3 %
			Multi-race	2	5 %
			Total	39	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	7	18 %	Men who have sex with men	19	59 %
25 - 34	12	31 %	Injection drug use	6	19 %
35 - 44	9	23 %	Heterosexual contact	7	22 %
45+	11	28 %	Total	32	100 %
Total	39	100 %	<i>No Identified Risk</i>	7	

AIDS CASES DIAGNOSED January - December 2012

- 33 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	24	73 %	Black, Non-Hispanic	19	58 %
Women	9	27 %	White, Non-Hispanic	11	33 %
Total	33	100 %	Hispanic	2	6 %
			Multi-race	1	3 %
			Total	33	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	6 %	Men who have sex with men	10	40 %
25 - 34	12	36 %	Injection drug use	5	20 %
35 - 44	8	24 %	Heterosexual contact	9	36 %
45+	11	33 %	Perinatal	1	4 %
Total	33	100 %	Total	25	100 %
			<i>No Identified Risk</i>	8	

Persons Living with HIV/AIDS**Region 6: Alexandria Region****as of September 30, 2013***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,478** cumulative cases have been detected in Region 6, including **15** pediatric cases.
- **546** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **5** pediatric deaths.
- **820** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **403**
Persons living with AIDS: **417**

Gender

	Cases	Percent
Women	257	31 %
Men	563	69 %
Total	820	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	7	1 %
20 - 24	33	4 %
25 - 29	64	8 %
30 - 34	87	11 %
35 - 39	121	15 %
40 - 44	109	13 %
45 - 49	113	14 %
50 - 54	129	16 %
55 - 59	87	11 %
60+	66	8 %
Total	820	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	358	202	560	68 %
White, Non-Hispanic	160	47	207	25 %
Hispanic	40	5	45	5 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	0	1	1	<1 %
Multi-race	2	2	4	<1 %
Total	563	257	820	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	223	0	223	41 %
Injection drug use	60	23	83	15 %
Men who have sex with men and inject drugs	35	0	35	6 %
Heterosexual contact	63	121	184	34 %
Transfusion/Hemophilia	6	2	8	1 %
Perinatal	6	3	9	2 %
Total	393	149	542	100 %

<i>No Identified Risk</i>	<i>170</i>	<i>108</i>	<i>278</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS
Region 6: Alexandria Region
as of September 30, 2013

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **907** cumulative AIDS cases have been diagnosed in Region 6, including **6** pediatric cases.
- **417** persons are currently living with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	127	30 %
Men	290	70 %
Total	417	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	193	99	292	70 %
13 - 19	1	<1 %	White, Non-Hispanic	82	26	108	26 %
20 - 24	7	2 %	Hispanic	14	1	15	4 %
25 - 29	19	5 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	36	9 %	Multi-race	0	1	1	<1 %
35 - 39	53	13 %	Total	290	127	417	100 %
40 - 44	64	15 %					
45 - 49	67	16 %					
50 - 54	77	18 %					
55 - 59	47	11 %					
60+	45	11 %					
Total	417	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	105	0	105	38 %
Injection drug use	32	13	45	16 %
Men who have sex with men and inject drugs	28	0	28	10 %
Heterosexual contact	32	62	94	34 %
Tranfusion/Hemophilia	4	1	5	2 %
Perinatal	1	2	3	1 %
Total	202	78	280	100 %
<i>No Identified Risk</i>	<i>88</i>	<i>49</i>	<i>137</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2012**

- 57 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	41	72 %	Black, Non-Hispanic	31	54 %
Women	16	28 %	White, Non-Hispanic	16	28 %
Total	57	100 %	Hispanic	8	14 %
			Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			Total	57	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	18	51 %
13 - 24	12	21 %	Injection drug use	2	6 %
25 - 34	14	25 %	Men who have sex with men and inject drugs	2	6 %
35 - 44	11	19 %	Heterosexual contact	12	34 %
45+	19	33 %	Perinatal	1	3 %
Total	57	100 %	Total	35	100 %
			<i>No Identified Risk</i>	22	

AIDS CASES DIAGNOSED January - December 2012

- 35 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	18	51 %	Black, Non-Hispanic	29	83 %
Women	17	49 %	White, Non-Hispanic	4	11 %
Total	35	100 %	Hispanic	2	6 %
			Total	35	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	6 %	Men who have sex with men	7	37 %
25 - 34	11	31 %	Injection drug use	1	5 %
35 - 44	10	29 %	Men who have sex with men and inject drugs	1	5 %
45+	12	34 %	Heterosexual contact	10	53 %
Total	35	100 %	Total	19	100 %
			<i>No Identified Risk</i>	16	

Persons Living with HIV/AIDS**Region 7: Shreveport Region****as of September 30, 2013***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,344** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **1,051** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **12** pediatric deaths.
- **1,556** persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: **760**
Persons living with AIDS: **796**

Gender

	Cases	Percent
Women	461	30 %
Men	1,095	70 %
Total	1,556	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	16	1 %
20 - 24	119	8 %
25 - 29	169	11 %
30 - 34	192	12 %
35 - 39	193	12 %
40 - 44	180	12 %
45 - 49	214	14 %
50 - 54	207	13 %
55 - 59	137	9 %
60+	126	8 %
Total	1,556	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	750	373	1,123	72 %
White, Non-Hispanic	309	80	389	25 %
Hispanic	20	7	27	2 %
Asian/Pacific Islander	5	0	5	<1 %
American Indian	7	0	7	<1 %
Multi-race	4	1	5	<1 %
Total	1,095	461	1,556	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	573	0	573	55 %
Injection drug use	55	42	97	9 %
Men who have sex with men and inject drugs	77	0	77	7 %
Heterosexual contact	74	206	280	27 %
Transfusion/Hemophilia	2	3	5	<1 %
Perinatal	6	7	13	1 %
Total	787	258	1,045	100 %
<i>No Identified Risk</i>	<i>308</i>	<i>203</i>	<i>511</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of September 30, 2013**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

• **1,527** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.

• **796** persons are currently living with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	232	29 %
Men	564	71 %
Total	796	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>	
0 - 12	1	<1 %	381	189	570	72 %	
13 - 19	5	1 %	166	37	203	26 %	
20 - 24	30	4 %	8	5	13	2 %	
25 - 29	53	7 %	3	0	3	<1 %	
30 - 34	82	10 %	4	0	4	1 %	
35 - 39	93	12 %	2	1	3	<1 %	
40 - 44	93	12 %	Total	564	232	796	100 %
45 - 49	129	16 %					
50 - 54	135	17 %					
55 - 59	93	12 %					
60+	82	10 %					
Total	796	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	276	0	276	50 %
Injection drug use	37	16	53	10 %
Men who have sex with men and inject drugs	48	0	48	9 %
Heterosexual contact	55	108	163	30 %
Tranfusion/Hemophilia	1	3	4	1 %
Perinatal	3	5	8	1 %
Total	420	132	552	100 %
<i>No Identified Risk</i>	<i>144</i>	<i>100</i>	<i>244</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2012**

- 84 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	63	75 %	Black, Non-Hispanic	70	83 %
Women	21	25 %	White, Non-Hispanic	8	10 %
Total	84	100 %	Hispanic	3	4 %
			Multi-race	3	4 %
			Total	84	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	31 %	Men who have sex with men	34	74 %
25 - 34	20	24 %	Injection drug use	3	7 %
35 - 44	21	25 %	Men who have sex with men and inject drugs	1	2 %
45+	17	20 %	Heterosexual contact	8	17 %
Total	84	100 %	Total	46	100 %
			<i>No Identified Risk</i>	<i>38</i>	

AIDS CASES DIAGNOSED January - December 2012

- 66 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	41	62 %	Black, Non-Hispanic	56	85 %
Women	25	38 %	White, Non-Hispanic	7	11 %
Total	66	100 %	Hispanic	1	2 %
			American Indian	1	2 %
			Multi-race	1	2 %
			Total	66	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	16	24 %	Men who have sex with men	18	50 %
25 - 34	20	30 %	Injection drug use	3	8 %
35 - 44	15	23 %	Heterosexual contact	15	42 %
45+	15	23 %	Total	36	100 %
Total	66	100 %	<i>No Identified Risk</i>	<i>30</i>	

Persons Living with HIV/AIDS**Region 8: Monroe Region****as of September 30, 2013***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,701** cumulative cases have been detected in Region 8, including **18** pediatric cases.
- **722** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **1,007** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **485**
Persons living with AIDS: **522**

Gender

	Cases	Percent
Women	347	34 %
Men	660	66 %
Total	1,007	100 %

Age Category

Current Age	Cases	Percent
0 - 12	6	1 %
13 - 19	16	2 %
20 - 24	56	6 %
25 - 29	75	7 %
30 - 34	118	12 %
35 - 39	134	13 %
40 - 44	133	13 %
45 - 49	129	13 %
50 - 54	147	15 %
55 - 59	96	10 %
60+	97	10 %
Total	1,007	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	470	292	762	76 %
White, Non-Hispanic	166	45	211	21 %
Hispanic	13	6	19	2 %
Asian/Pacific Islander	4	1	5	<1 %
American Indian	3	1	4	<1 %
Unknown	1	0	1	<1 %
Multi-race	3	2	5	<1 %
Total	660	347	1,007	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	346	0	346	50 %
Injection drug use	38	35	73	10 %
Men who have sex with men and inject drugs	41	0	41	6 %
Heterosexual contact	67	152	219	31 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	10	13	2 %
Total	497	200	697	100 %

<i>No Identified Risk</i>	<i>163</i>	<i>147</i>	<i>310</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS**Region 8: Monroe Region****as of September 30, 2013***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

• **1,092** cumulative AIDS cases have been diagnosed in Region 8, including **9** pediatric cases.

• **522** persons are currently living with AIDS in Region 8.

Gender	Cases	Percent
Women	165	32 %
Men	357	68 %
Total	522	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	4	1 %	Black, Non-Hispanic	249	140	389	75 %
20 - 24	17	3 %	White, Non-Hispanic	96	22	118	23 %
25 - 29	18	3 %	Hispanic	8	2	10	2 %
30 - 34	46	9 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	80	15 %	American Indian	1	0	1	<1 %
40 - 44	81	16 %	Multi-race	1	1	2	<1 %
45 - 49	75	14 %	Total	357	165	522	100 %
50 - 54	82	16 %					
55 - 59	61	12 %					
60+	58	11 %					
Total	522	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	172	0	172	46 %
Injection drug use	23	23	46	12 %
Men who have sex with men and inject drugs	29	0	29	8 %
Heterosexual contact	45	75	120	32 %
Tranfusion/Hemophilia	2	1	3	1 %
Perinatal	2	2	4	1 %
Total	273	101	374	100 %
<i>No Identified Risk</i>	<i>84</i>	<i>64</i>	<i>148</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2012**

- 80 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	56	70 %	Black, Non-Hispanic	66	82 %
Women	24	30 %	White, Non-Hispanic	10	12 %
Total	80	100 %	Hispanic	3	4 %
			American Indian	1	1 %
			Total	80	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	32 %	Men who have sex with men	26	68 %
25 - 34	14	18 %	Injection drug use	1	3 %
35 - 44	13	16 %	Men who have sex with men and inject drugs	1	3 %
45+	27	34 %	Heterosexual contact	10	26 %
Total	80	100 %	Total	38	100 %

No Identified Risk 42

AIDS CASES DIAGNOSED January - December 2012

- 51 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	32	63 %	Black, Non-Hispanic	41	80 %
Women	19	37 %	White, Non-Hispanic	5	10 %
Total	51	100 %	Hispanic	3	6 %
			American Indian	1	2 %
			Multi-race	1	2 %
			Total	51	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	7	14 %	Men who have sex with men	12	50 %
25 - 34	9	18 %	Injection drug use	2	8 %
35 - 44	16	31 %	Heterosexual contact	9	38 %
45+	19	37 %	Perinatal	1	4 %
Total	51	100 %	Total	24	100 %

No Identified Risk 27

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of September 30, 2013

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,520** cumulative cases have been detected in Region 9, including **18** pediatric cases.
- **645** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,123** persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: **502**
 Persons living with AIDS: **621**

Gender

	Cases	Percent
Women	292	26 %
Men	831	74 %
Total	1,123	100 %

Age Category

Current Age	Cases	Percent
0 - 12	6	1 %
13 - 19	6	1 %
20 - 24	40	4 %
25 - 29	73	7 %
30 - 34	85	8 %
35 - 39	127	11 %
40 - 44	148	13 %
45 - 49	207	18 %
50 - 54	197	18 %
55 - 59	133	12 %
60+	101	9 %
Total	1,123	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	372	189	561	50 %
White, Non-Hispanic	430	94	524	47 %
Hispanic	21	8	29	3 %
Asian/Pacific Islander	2	1	3	<1 %
Multi-race	6	0	6	1 %
Total	831	292	1,123	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	440	0	440	56 %
Injection drug use	62	45	107	14 %
Men who have sex with men and inject drugs	50	0	50	6 %
Heterosexual contact	61	106	167	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	6	16	2 %
Total	629	157	786	100 %
<i>No Identified Risk</i>	<i>202</i>	<i>135</i>	<i>337</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of September 30, 2013

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,040** cumulative AIDS cases have been diagnosed in Region 9, including **10** pediatric cases.
- **621** persons are currently living with AIDS in Region 9.

<u>Gender</u>	Cases	Percent
Women	143	23 %
Men	478	77 %
Total	621	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age	Cases	Percent					
13 - 19	1	<1 %	Black, Non-Hispanic	216	93	309	50 %
20 - 24	12	2 %	White, Non-Hispanic	244	45	289	47 %
25 - 29	23	4 %	Hispanic	12	5	17	3 %
30 - 34	34	5 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	72	12 %	Multi-race	5	0	5	1 %
40 - 44	78	13 %	Total	478	143	621	100 %
45 - 49	124	20 %					
50 - 54	127	20 %					
55 - 59	79	13 %					
60+	71	11 %					
Total	621	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	249	0	249	56 %
Injection drug use	43	23	66	15 %
Men who have sex with men and inject drugs	26	0	26	6 %
Heterosexual contact	37	53	90	20 %
Tranfusion/Hemophilia	6	0	6	1 %
Perinatal	5	1	6	1 %
Total	366	77	443	100 %
<i>No Identified Risk</i>	<i>112</i>	<i>66</i>	<i>178</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2012**

- 73 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	56	77 %	Black, Non-Hispanic	35	48 %
Women	17	23 %	White, Non-Hispanic	33	45 %
Total	73	100 %	Hispanic	3	4 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	73	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	33	79 %
13 - 24	18	25 %	Injection drug use	5	12 %
25 - 34	14	19 %	Heterosexual contact	3	7 %
35 - 44	13	18 %	Perinatal	1	2 %
45+	27	37 %	Total	42	100 %
Total	73	100 %	<i>No Identified Risk</i>	<i>31</i>	


AIDS CASES DIAGNOSED January - December 2012

- 49 persons were newly diagnosed with AIDS in Region 9.


<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	36	73 %	Black, Non-Hispanic	25	51 %
Women	13	27 %	White, Non-Hispanic	22	45 %
Total	49	100 %	Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			Total	49	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	16 %	Men who have sex with men	18	69 %
25 - 34	10	20 %	Injection drug use	3	12 %
35 - 44	9	18 %	Men who have sex with men and inject drugs	1	4 %
45+	22	45 %	Heterosexual contact	4	15 %
Total	49	100 %	Total	26	100 %
			<i>No Identified Risk</i>	<i>23</i>	

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2003-2012)



*The number of new HIV diagnoses in 2012 is subject to change as the data are not finalized.



* The number of new AIDS diagnoses in 2012 is subject to change as the data are not finalized.

10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2003-2012)

