


Second Quarter 2014

Vol. 12, No. 2



Louisiana Office of Public Health
STD/HIV Surveillance Program

DeAnn Gruber, PhD, LCSW
Administrative Director

Jeffrey Hitt, M.Ed
Associate Director

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Jessica Fridge, MSPH
Surveillance Manager

Editor/Production:
Demerial Banks, MPH

Data Management/Analysis and Surveillance:

Demerial Banks, MPH, Surveillance Epidemiologist

Tania Bechtel, Data Manager

Carmen Washington, Data Manager

Antoine Brantley, MPH, Data Analyst

Joseph Foxhood, BA, OPH IT Project Manager

George Stephens, Information Systems Administrator

Lakeesha Brumfield, Data Entry Specialist

Josette Russell, Data Entry Specialist

William T. Robinson, Ph.D., Biostatistician

Elliot Brannon, MPH, Perinatal Surveillance Coordinator

Rashad Arcement, MSPH, Incidence & Resistance Coordinator

Field Epidemiologists:

Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard
Monica Pendleton

Region 1
Regions 1, 3

Cheryl Edney, BS MT(ASCP)
Gayle Norris, MA
Gale Terry, LPN

Regions 4, 5, 6
Regions 7, 8
Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
Surveillance Quarterly Highlight: Perinatal Surveillance Act 459 - Third Trimester HIV and Syphilis Testing	40
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2004-2013)	41
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2004-2013)	42
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of June 30, 2014¹.

- In 2011, Louisiana ranked **3rd** in the nation for estimated HIV case rates (30.2 per 100,000 population) and 11th in the estimated number of HIV infection cases. The New Orleans MSA ranked **2nd** in the nation and the Baton Rouge MSA ranked **3rd** in the nation for estimated HIV case rates (43.0 and 41.6 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (Vol. 23), for the first time, had a national comparison of estimated HIV case rates.
- According to the same report, Louisiana ranked **4th** highest in estimated state AIDS case rates (18.1 per 100,000) and 11th in the number of estimated AIDS cases in 2011. The Baton Rouge metropolitan area ranked **1st** in estimated AIDS case rates (29.4 per 100,000) and the New Orleans metropolitan area ranked **4th** in estimated AIDS case rates (25.3 per 100,000) in 2011 among the large metropolitan areas in the nation.
- A total of **19,640** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,570** persons (54%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2013, of the persons who reported a risk factor, 72% reported being MSM, and an additional 2% reported being MSM and an injection drug user (IDU). As of June 30, 2014, 52% of all people living with HIV infection in Louisiana were MSM.
- In 2013, **1,365** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=462) occurred in Region 1 (New Orleans) and **20%** (n=274) occurred in Region 2 (Baton Rouge).
- In 2013, **745** new AIDS cases were diagnosed in Louisiana. Of these cases, **31%** (n=234) occurred in Region 1 (New Orleans) and **25%** (n=188) occurred in Region 2 (Baton Rouge).
- In Louisiana, **23%** of new HIV cases and **27%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2013, **69%** of newly diagnosed HIV cases and **74%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2013, **24%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **28%** occurred among persons 25-34 years old.
- As of June 30, 2014, a cumulative total of **35,038** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **340** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through June 30, 2014, is **15,107** including **115** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS
Louisiana
as of June 30, 2014

- **35,038** cumulative cases have been detected in Louisiana since the beginning of the epidemic, including **340** pediatric cases.
- **15,107** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana since the beginning of the epidemic, including **115** pediatric deaths.
- **19,640** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **9,070**
Persons living with AIDS: **10,570**

Gender

	Cases	Percent
Women	5,815	30 %
Men	13,825	70 %
Total	19,640	100 %

Age Category

Current Age	Cases	Percent
0 - 12	58	<1 %
13 - 19	137	1 %
20 - 24	910	5 %
25 - 29	1,650	8 %
30 - 34	2,081	11 %
35 - 39	2,361	12 %
40 - 44	2,375	12 %
45 - 49	2,772	14 %
50 - 54	3,048	16 %
55 - 59	2,178	11 %
60+	2,070	11 %
Total	19,640	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	8,633	4,795	13,428	68 %
White, Non-Hispanic	4,328	813	5,195	26 %
Hispanic	621	154	775	4 %
Asian/Pacific Islander	65	13	78	<1 %
American Indian	26	7	33	<1 %
Unknown	11	1	12	<1 %
Multi-race	87	32	119	1 %
Total	13,825	5,815	19,640	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	6,855	0	6,855	52 %
Injection drug use	1,066	645	1,711	13 %
Men who have sex with men and inject drugs	823	0	823	6 %
Heterosexual contact	1,104	2,334	3,438	26 %
Transfusion/Hemophilia	41	32	73	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	91	105	196	1 %
Total	9,980	3,117	13,097	100 %
<i>No Identified Risk</i>	<i>3,845</i>	<i>2,698</i>	<i>6,543</i>	

Persons Living with AIDS
Louisiana
as of June 30, 2014

• **23,563** cumulative AIDS cases have been diagnosed in Louisiana since the beginning of the epidemic, including **185** pediatric cases.

• **10,570** persons are currently living with AIDS in Louisiana.

Gender

	Cases	Percent
Women	2,993	28 %
Men	7,577	72 %
Total	10,570	100 %

Age Category

Current Age	Cases	Percent
0 - 12	10	<1 %
13 - 19	33	<1 %
20 - 24	231	2 %
25 - 29	509	5 %
30 - 34	893	8 %
35 - 39	1,164	11 %
40 - 44	1,357	13 %
45 - 49	1,714	16 %
50 - 54	1,930	18 %
55 - 59	1,398	13 %
60+	1,331	13 %
Total	10,570	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	4,769	2,503	7,272	69 %
White, Non-Hispanic	2,395	377	2,772	26 %
Hispanic	323	93	416	4 %
Asian/Pacific	29	5	34	<1 %
American Indian	9	2	11	<1 %
Multi-race	52	13	65	1 %
Total	7,577	2,993	10,570	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,612	0	3,612	49 %
Injection drug use	725	366	1,091	15 %
Men who have sex with men and inject drugs	549	0	549	8 %
Heterosexual contact	679	1,242	1,921	26 %
Transfusion/Hemophilia	30	23	53	1 %
Perinatal	39	46	85	1 %
Total	5,634	1,677	7,311	100 %

<i>No Identified Risk</i>	<i>1,943</i>	<i>1,316</i>	<i>3,259</i>	
---------------------------	--------------	--------------	--------------	--

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2013

• **1,365** persons were newly diagnosed with HIV in Louisiana in 2013.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	1,050	77 %	Black, Non-Hispanic	942	69 %
Women	315	23 %	White, Non-Hispanic	337	25 %
Total	1,365	100 %	Hispanic	64	5 %
			Asian/Pacific Islander	10	1 %
			American Indian	6	<1 %
			Unknown	2	<1 %
			Multi-race	4	<1 %
			Total	1,365	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	566	72 %
13 - 24	321	24 %	Injection drug use	50	6 %
25 - 34	389	28 %	Men who have sex with men and inject drugs	18	2 %
35 - 44	302	22 %	Heterosexual contact	151	19 %
45+	352	26 %	Perinatal	1	<1 %
Total	1,365	100 %	Total	786	100 %
			<i>No Identified Risk</i>	<i>579</i>	

AIDS CASES DIAGNOSED January - December 2013

• **745** persons were newly diagnosed with AIDS in Louisiana in 2013.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	545	73 %	Black, Non-Hispanic	555	74 %
Women	200	27 %	White, Non-Hispanic	154	21 %
Total	745	100 %	Hispanic	30	4 %
			Asian/Pacific Islander	4	1 %
			Multi-race	2	<1 %
			Total	745	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	248	59 %
13 - 24	75	10 %	Injection drug use	46	11 %
25 - 34	201	27 %	Men who have sex with men and inject drugs	11	3 %
35 - 44	215	29 %	Heterosexual contact	113	27 %
45+	253	34 %	Transfusion/Hemophilia	2	<1 %
Total	745	100 %	Perinatal	3	1 %
			Total	423	100 %
			<i>No Identified Risk</i>	<i>322</i>	

Persons Living with HIV/AIDS by Parish
as of June 30, 2014

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	111	Sabine	21
Allen	261	St. Bernard	176
Ascension	225	St. Charles	103
Assumption	26	St. Helena	18
Avoyelles	175	St. James	71
Beauregard	43	St. John the Baptist	160
Bienville	32	St. Landry	253
Bossier	189	St. Martin	111
Caddo	1,038	St. Mary	78
Calcasieu	645	St. Tammany	412
Caldwell	18	Tangipahoa	364
Cameron	2	Tensas	37
Catahoula	29	Terrebonne	217
Claiborne	57	Union	30
Concordia	46	Vermilion	92
De Soto	55	Vernon	63
East Baton Rouge	3,816	Washington	180
East Carroll	28	Webster	73
East Feliciana	156	West Baton Rouge	96
Evangeline	70	West Carroll	11
Franklin	43	West Feliciana	175
Grant	39	Winn	44
Iberia	120		
Iberville	386		
Jackson	30		
Jefferson	1,814		
Jefferson Davis	59		
La Salle	30		
Lafayette	710		
Lafourche	141		
Lincoln	96		
Livingston	204		
Madison	32		
Morehouse	64		
Natchitoches	116		
Orleans	4,754		
Ouachita	587		
Plaquemines	39		
Pointe Coupee	56		
Rapides	453		
Red River	13		
Richland	45		
		Total	19,640

**Persons Living with AIDS by Parish
as of June 30, 2014**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	66	Sabine	14
Allen	142	St. Bernard	113
Ascension	112	St. Charles	51
Assumption	12	St. Helena	10
Avoyelles	93	St. James	36
Beauregard	26	St. John the Baptist	91
Bienville	17	St. Landry	154
Bossier	95	St. Martin	64
Caddo	511	St. Mary	44
Calcasieu	364	St. Tammany	220
Caldwell	6	Tangipahoa	198
Cameron	1	Tensas	17
Catahoula	16	Terrebonne	124
Claiborne	30	Union	23
Concordia	26	Vermilion	52
De Soto	27	Vernon	33
East Baton Rouge	2,090	Washington	92
East Carroll	15	Webster	30
East Feliciana	84	West Baton Rouge	53
Evangeline	35	West Carroll	7
Franklin	16	West Feliciana	104
Grant	19	Winn	24
Iberia	70		
Iberville	230		
Jackson	18		
Jefferson	979		
Jefferson Davis	31		
La Salle	14		
Lafayette	354		
Lafourche	85		
Lincoln	49		
Livingston	112		
Madison	15		
Morehouse	39		
Natchitoches	56		
Orleans	2,554		
Ouachita	297		
Plaquemines	28		
Pointe Coupee	38		
Rapides	208		
Red River	9		
Richland	27		
		Total	10,570

**Persons Living with HIV/AIDS
Metro New Orleans
as of June 30, 2014**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **16,124** cumulative cases have been detected in the New Orleans MSA since the beginning of the epidemic, including **162** pediatric cases.
- **6,988** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA since the beginning of the epidemic, including **55** pediatric deaths
- **7,529** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,457**
Persons living with AIDS: **4,072**

Gender

	Cases	Percent
Women	1,961	26 %
Men	5,568	74 %
Total	7,529	100 %

Age Category

Current Age	Cases	Percent
0 - 12	21	<1 %
13 - 19	42	1 %
20 - 24	326	4 %
25 - 29	625	8 %
30 - 34	759	10 %
35 - 39	861	11 %
40 - 44	862	11 %
45 - 49	1,069	14 %
50 - 54	1,189	16 %
55 - 59	879	12 %
60+	896	12 %
Total	7,529	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	3,066	1,605	4,671	62 %
White, Non-Hispanic	2,084	237	2,321	31 %
Hispanic	337	104	441	6 %
Asian/Pacific Islander	37	7	44	1 %
American Indian	7	0	7	<1 %
Unknown	6	1	7	<1 %
Multi-race	31	7	38	1 %
Total	5,568	1,961	7,529	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,088	0	3,088	60 %
Injection drug use	329	207	536	10 %
Men who have sex with men and inject drugs	304	0	304	6 %
Heterosexual contact	356	789	1,145	22 %
Transfusion/Hemophilia	18	15	33	1 %
Perinatal	30	43	73	1 %
Total	4,125	1,054	5,179	100 %
<i>No Identified Risk</i>	<i>1,443</i>	<i>907</i>	<i>2,350</i>	

Persons Living with AIDS
Metro New Orleans
as of June 30, 2014

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **10,974** cumulative AIDS cases have been diagnosed in the New Orleans MSA since the beginning of the epidemic, including **85** pediatric cases.
- **4,072** persons are currently living with AIDS in the New Orleans MSA.

Gender

	Cases	Percent
Women	1,058	26 %
Men	3,014	74 %
Total	4,072	100 %

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	12	<1 %
20 - 24	82	2 %
25 - 29	175	4 %
30 - 34	327	8 %
35 - 39	414	10 %
40 - 44	495	12 %
45 - 49	651	16 %
50 - 54	768	19 %
55 - 59	577	14 %
60+	569	14 %
Total	4,072	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,671	872	2,543	62 %
White, Non-Hispanic	1,120	107	1,227	30 %
Hispanic	185	72	257	6 %
Asian/Pacific Islander	15	4	19	<1 %
American Indian	2	0	2	<1 %
Multi-race	21	3	24	1 %
Total	3,014	1,058	4,072	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,625	0	1,625	56 %
Injection drug use	210	118	328	11 %
Men who have sex with men and inject	198	0	198	7 %
Heterosexual contact	228	446	674	23 %
Transfusion/Hemophilia	14	11	25	1 %
Perinatal	12	20	32	1 %
Total	2,287	595	2,882	100 %
<i>No Identified Risk</i>	<i>727</i>	<i>463</i>	<i>1,190</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2013

- 520 persons were newly diagnosed with HIV in the New Orleans MSA in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	418	80 %	Black, Non-Hispanic	339	65 %
Women	102	20 %	White, Non-Hispanic	141	27 %
Total	520	100 %	Hispanic	30	6 %
			Asian/Pacific Islander	7	1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	520	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	120	23 %	Men who have sex with men	258	75 %
25 - 34	165	32 %	Injection drug use	17	5 %
35 - 44	110	21 %	Men who have sex with men and inject drugs	7	2 %
45+	125	24 %	Heterosexual contact	63	18 %
Total	520	100 %	Total	345	100 %
			<i>No Identified Risk</i>	<i>175</i>	

AIDS CASES DIAGNOSED January - December 2013

- 268 persons were newly diagnosed with AIDS in the New Orleans MSA in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	199	74 %	Black, Non-Hispanic	179	67 %
Women	69	26 %	White, Non-Hispanic	64	24 %
Total	268	100 %	Hispanic	21	8 %
			Asian/Pacific Islander	3	1 %
			Multi-race	1	<1 %
			Total	268	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	29	11 %	Men who have sex with men	108	64 %
25 - 34	69	26 %	Injection drug use	16	9 %
35 - 44	75	28 %	Heterosexual contact	45	26 %
45+	95	35 %	Transfusion/Hemophilia	1	1 %
Total	268	100 %	Total	170	100 %
			<i>No Identified Risk</i>	<i>98</i>	

**Persons Living with HIV/AIDS
Metro Baton Rouge
as of June 30, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **8,033** cumulative cases have been detected in the Baton Rouge MSA since the beginning of the epidemic, including **78** pediatric cases.
- **3,462** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA since the beginning of the epidemic, including **20** pediatric deaths
- **5,132** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
 Persons living with HIV: **2,299**
 Persons living with AIDS: **2,833**

Gender

	Cases	Percent
Women	1,824	36 %
Men	3,308	64 %
Total	5,132	100 %

Age Category

Current Age	Cases	Percent
0 - 12	20	<1 %
13 - 19	40	1 %
20 - 24	242	5 %
25 - 29	419	8 %
30 - 34	610	12 %
35 - 39	663	13 %
40 - 44	677	13 %
45 - 49	689	13 %
50 - 54	770	15 %
55 - 59	507	10 %
60+	495	10 %
Total	5,132	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,582	1,634	4,216	82 %
White, Non-Hispanic	645	162	807	16 %
Hispanic	53	15	68	1 %
Asian/Pacific Islander	9	2	11	<1 %
American Indian	2	1	3	<1 %
Multi-race	17	10	27	1 %
Total	3,308	1,824	5,132	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,320	0	1,320	41 %
Injection drug use	390	215	605	19 %
Men who have sex with men and inject drugs	199	0	199	6 %
Heterosexual contact	328	661	989	31 %
Transfusion/Hemophilia	6	8	14	<1 %
Perinatal	28	28	56	2 %
Total	2,271	912	3,183	100 %
<i>No Identified Risk</i>	<i>1,037</i>	<i>912</i>	<i>1,949</i>	

Persons Living with AIDS
Metro Baton Rouge
as of June 30, 2014

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,447** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA since the beginning of the epidemic, including **35** pediatric cases.
- **2,833** persons are currently living with AIDS in the Baton Rouge MSA.

Gender

	Cases	Percent
Women	941	33 %
Men	1,892	67 %
Total	2,833	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	8	<1 %
20 - 24	65	2 %
25 - 29	149	5 %
30 - 34	275	10 %
35 - 39	334	12 %
40 - 44	396	14 %
45 - 49	445	16 %
50 - 54	502	18 %
55 - 59	331	12 %
60+	324	11 %
Total	2,833	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,503	860	2,363	83 %
White, Non-Hispanic	344	71	415	15 %
Hispanic	30	8	38	1 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	2	0	2	<1 %
Multi-race	9	2	11	<1 %
Total	1,892	941	2,833	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	699	0	699	38 %
Injection drug use	294	132	426	23 %
Men who have sex with men and inject drugs	137	0	137	7 %
Heterosexual contact	207	350	557	30 %
Transfusion/Hemophilia	4	6	10	1 %
Perinatal	10	9	19	1 %
Total	1,351	497	1,848	100 %
<i>No Identified Risk</i>	<i>541</i>	<i>444</i>	<i>985</i>	

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2013**

- 290 persons were newly diagnosed with HIV in the Baton Rouge MSA in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	209	72 %	Black, Non-Hispanic	241	83 %
Women	81	28 %	White, Non-Hispanic	43	15 %
Total	290	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	290	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	101	68 %
13 - 24	79	27 %	Injection drug use	11	7 %
25 - 34	76	26 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	65	22 %	Heterosexual contact	32	21 %
45+	69	24 %	Perinatal	1	1 %
Total	290	100 %	Total	149	100 %

*No Identified Risk**141***AIDS CASES DIAGNOSED January - December 2013**

- 198 persons were newly diagnosed with AIDS in the Baton Rouge MSA in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	142	72 %	Black, Non-Hispanic	175	88 %
Women	56	28 %	White, Non-Hispanic	21	11 %
Total	198	100 %	Hispanic	1	1 %
			Multi-race	1	1 %
			Total	198	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	1 %	Men who have sex with men	50	46 %
13 - 24	17	9 %	Injection drug use	18	17 %
25 - 34	57	29 %	Men who have sex with men and inject drugs	5	5 %
35 - 44	58	29 %	Heterosexual contact	34	31 %
45+	65	33 %	Perinatal	2	2 %
Total	198	100 %	Total	109	100 %

*No Identified Risk**89*

Persons Living with HIV/AIDS

Region 1: New Orleans Region

as of June 30, 2014

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **15,076** cumulative cases have been detected in Region 1 since the beginning of the epidemic, including **144** pediatric cases.
- **6,548** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred since the beginning of the epidemic, including **50** pediatric deaths.
- **6,783** persons are currently living with HIV/AIDS in Region 1.
 Persons living with HIV: **3,109**
 Persons living with AIDS: **3,674**

Gender

	Cases	Percent
Women	1,755	26 %
Men	5,028	74 %
Total	6,783	100 %

Age Category

Current Age	Cases	Percent
0 - 12	15	<1 %
13 - 19	37	1 %
20 - 24	283	4 %
25 - 29	561	8 %
30 - 34	695	10 %
35 - 39	775	11 %
40 - 44	778	11 %
45 - 49	962	14 %
50 - 54	1,063	16 %
55 - 59	793	12 %
60+	821	12 %
Total	6,783	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,834	1,466	4,300	63 %
White, Non-Hispanic	1,801	178	1,979	29 %
Hispanic	319	98	417	6 %
Asian/Pacific Islander	35	5	40	1 %
American Indian	6	0	6	<1 %
Unknown	6	1	7	<1 %
Multi-race	27	7	34	1 %
Total	5,028	1,755	6,783	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,779	0	2,779	59 %
Injection drug use	305	187	492	11 %
Men who have sex with men and inject drugs	280	0	280	6 %
Heterosexual contact	327	716	1,043	22 %
Transfusion/Hemophilia	15	15	30	1 %
Perinatal	22	35	57	1 %
Total	3,728	953	4,681	100 %
<i>No Identified Risk</i>	<i>1,300</i>	<i>802</i>	<i>2,102</i>	

Persons Living with AIDS
Region 1: New Orleans Region
as of June 30, 2014

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **10,256** cumulative AIDS cases have been diagnosed in Region 1 since the beginning of the epidemic, including **76** pediatric cases.
- **3,674** persons are currently living with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	961	26 %
Men	2,713	74 %
Total	3,674	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
0 - 12	2	<1 %	Black, Non-Hispanic	1,538	807	2,345	64 %
13 - 19	10	<1 %	White, Non-Hispanic	967	80	1,047	28 %
20 - 24	68	2 %	Hispanic	174	69	243	7 %
25 - 29	154	4 %	Asian/Pacific Islander	14	2	16	<1 %
30 - 34	307	8 %	American Indian	1	0	1	<1 %
35 - 39	367	10 %	Multi-race	19	3	22	1 %
40 - 44	450	12 %	Total	2,713	961	3,674	100 %
45 - 49	586	16 %					
50 - 54	690	19 %					
55 - 59	525	14 %					
60+	515	14 %					
Total	3,674	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,456	0	1,456	56 %
Injection drug use	195	108	303	12 %
Men who have sex with men and inject drugs	184	0	184	7 %
Heterosexual contact	208	411	619	24 %
Transfusion/Hemophilia	11	11	22	1 %
Perinatal	8	17	25	1 %
Total	2,062	547	2,609	100 %
<i>No Identified Risk</i>	<i>651</i>	<i>414</i>	<i>1,065</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 1: New Orleans Region

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

HIV CASES DIAGNOSED January - December 2013

- 462 persons were newly diagnosed with HIV in Region 1 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	374	81 %	Black, Non-Hispanic	301	65 %
Women	88	19 %	White, Non-Hispanic	121	26 %
Total	462	100 %	Hispanic	30	6 %
			Asian/Pacific Islander	7	2 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	462	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	107	23 %	Men who have sex with men	229	73 %
25 - 34	150	32 %	Injection drug use	16	5 %
35 - 44	99	21 %	Men who have sex with men and inject drugs	7	2 %
45+	106	23 %	Heterosexual contact	60	19 %
Total	462	100 %	Total	312	100 %

No Identified Risk 150

AIDS CASES DIAGNOSED January - December 2013

- 234 persons were newly diagnosed with AIDS in Region 1 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	174	74 %	Black, Non-Hispanic	157	67 %
Women	60	26 %	White, Non-Hispanic	55	24 %
Total	234	100 %	Hispanic	19	8 %
			Asian/Pacific Islander	3	1 %
			Total	234	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	26	11 %	Men who have sex with men	90	61 %
25 - 34	62	26 %	Injection drug use	14	10 %
35 - 44	64	27 %	Heterosexual contact	42	29 %
45+	82	35 %	Transfusion/Hemophilia	1	1 %
Total	234	100 %	Total	147	100 %

No Identified Risk 87

Persons Living with HIV/AIDS**Region 2: Baton Rouge Region****as of June 30, 2014***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **7,750** cumulative cases have been detected in Region 2 since the beginning of the epidemic, including **73** pediatric cases.
- **3,339** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred since the beginning of the epidemic, including **17** pediatric deaths.
- **4,910** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,199**
Persons living with AIDS: **2,711**

Gender

	Cases	Percent
Women	1,756	36 %
Men	3,154	64 %
Total	4,910	100 %

Age Category

Current Age	Cases	Percent
0 - 12	19	<1 %
13 - 19	39	1 %
20 - 24	235	5 %
25 - 29	407	8 %
30 - 34	597	12 %
35 - 39	629	13 %
40 - 44	642	13 %
45 - 49	652	13 %
50 - 54	732	15 %
55 - 59	484	10 %
60+	474	10 %
Total	4,910	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,524	1,607	4,131	84 %
White, Non-Hispanic	553	124	677	14 %
Hispanic	49	13	62	1 %
Asian/Pacific Islander	9	1	10	<1 %
American Indian	2	1	3	<1 %
Multi-race	17	10	27	1 %
Total	3,154	1,756	4,910	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,244	0	1,244	41 %
Injection drug use	373	204	577	19 %
Men who have sex with men and inject drugs	190	0	190	6 %
Heterosexual contact	314	638	952	31 %
Transfusion/Hemophilia	4	8	12	<1 %
Perinatal	27	26	53	2 %
Total	2,152	876	3,028	100 %
<i>No Identified Risk</i>	<i>1,002</i>	<i>880</i>	<i>1,882</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of June 30, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **5,259** cumulative AIDS cases have been diagnosed in Region 2 since the beginning of the epidemic, including **33** pediatric cases.
- **2,711** persons are currently living with AIDS in Region 2.

<u>Gender</u>	Cases	Percent
Women	906	33 %
Men	1,805	67 %
Total	2,711	100 %

<u>Age Category</u>	Cases	Percent	<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age							
0 - 12	4	<1 %	Black, Non-Hispanic	1,467	841	2,308	85 %
13 - 19	8	<1 %	White, Non-Hispanic	295	57	352	13 %
20 - 24	61	2 %	Hispanic	28	6	34	1 %
25 - 29	145	5 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	269	10 %	American Indian	2	0	2	<1 %
35 - 39	316	12 %	Multi-race	9	2	11	<1 %
40 - 44	377	14 %	Total	1,805	906	2,711	100 %
45 - 49	422	16 %					
50 - 54	480	18 %					
55 - 59	316	12 %					
60+	313	12 %					
Total	2,711	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	656	0	656	37 %
Injection drug use	280	128	408	23 %
Men who have sex with men and inject drugs	132	0	132	8 %
Heterosexual contact	198	339	537	31 %
Transfusion/Hemophilia	3	6	9	1 %
Perinatal	10	8	18	1 %
Total	1,279	481	1,760	100 %
<i>No Identified Risk</i>	<i>526</i>	<i>425</i>	<i>951</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2013**

- 274 persons were newly diagnosed with HIV in Region 2 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	196	72 %	Black, Non-Hispanic	233	85 %
Women	78	28 %	White, Non-Hispanic	35	13 %
Total	274	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	274	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	91	66 %
13 - 24	78	28 %	Injection drug use	11	8 %
25 - 34	75	27 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	55	20 %	Heterosexual contact	31	22 %
45+	65	24 %	Perinatal	1	1 %
Total	274	100 %	Total	138	100 %

No Identified Risk 136

AIDS CASES DIAGNOSED January - December 2013

- 188 persons were newly diagnosed with AIDS in Region 2 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	133	71 %	Black, Non-Hispanic	170	90 %
Women	55	29 %	White, Non-Hispanic	16	9 %
Total	188	100 %	Hispanic	1	1 %
			Multi-race	1	1 %
			Total	188	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	44	44 %
13 - 24	16	9 %	Injection drug use	18	18 %
25 - 34	56	30 %	Men who have sex with men and inject drugs	4	4 %
35 - 44	53	28 %	Heterosexual contact	33	33 %
45+	62	33 %	Perinatal	2	2 %
Total	188	100 %	Total	101	100 %

No Identified Risk 87

Persons Living with HIV/AIDS**Region 3: Houma Region****as of June 30, 2014***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **1,204** cumulative cases have been detected in Region 3 since the beginning of the epidemic, including **18** pediatric cases.
- **550** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred since the beginning of the epidemic, including **8** pediatric deaths.
- **796** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **353**
Persons living with AIDS: **443**

Gender

	Cases	Percent
Women	265	33 %
Men	531	67 %
Total	796	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	8	1 %
20 - 24	48	6 %
25 - 29	90	11 %
30 - 34	89	11 %
35 - 39	87	11 %
40 - 44	94	12 %
45 - 49	103	13 %
50 - 54	117	15 %
55 - 59	76	10 %
60+	81	10 %
Total	796	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	278	195	473	59 %
White, Non-Hispanic	228	61	289	36 %
Hispanic	19	5	24	3 %
Asian/Pacific Islander	2	1	3	<1 %
American Indian	1	1	2	<1 %
Multi-race	3	2	5	1 %
Total	531	265	796	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	303	0	303	57 %
Injection drug use	33	20	53	10 %
Men who have sex with men and inject drugs	14	0	14	3 %
Heterosexual contact	35	116	151	28 %
Perinatal	8	7	15	3 %
Total	393	143	536	100 %
<i>No Identified Risk</i>	<i>138</i>	<i>122</i>	<i>260</i>	

Persons Living with AIDS
Region 3: Houma Region
as of June 30, 2014

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **879** cumulative AIDS cases have been diagnosed in Region 3 since the beginning of the epidemic, including **11** pediatric cases.
- **443** persons are currently living with AIDS in Region 3.

<u>Gender</u>	Cases	Percent
Women	133	30 %
Men	310	70 %
Total	443	100 %

<u>Age Category</u>	Cases	Percent	<u>Race/Ethnicity</u>	Men	Women	Total	Percent
13 - 19	3	1 %	Black, Non-Hispanic	163	103	266	60 %
20 - 24	13	3 %	White, Non-Hispanic	129	25	154	35 %
25 - 29	35	8 %	Hispanic	14	2	16	4 %
30 - 34	35	8 %	Asian/Pacific Islander	1	1	2	<1 %
35 - 39	49	11 %	American Indian	1	1	2	<1 %
40 - 44	50	11 %	Multi-race	2	1	3	1 %
45 - 49	66	15 %	Total	310	133	443	100 %
50 - 54	79	18 %					
55 - 59	57	13 %					
60+	56	13 %					
Total	443	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	171	0	171	56 %
Injection drug use	27	10	37	12 %
Men who have sex with men and inject drugs	10	0	10	3 %
Heterosexual contact	21	57	78	26 %
Perinatal	4	5	9	3 %
Total	233	72	305	100 %
<i>No Identified Risk</i>	<i>77</i>	<i>61</i>	<i>138</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2013**

- 64 persons were newly diagnosed with HIV in Region 3 in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	46	72 %	Black, Non-Hispanic	39	61 %
Women	18	28 %	White, Non-Hispanic	24	38 %
Total	64	100 %	Hispanic	1	2 %
			Total	64	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	20 %	Men who have sex with men	30	73 %
25 - 34	18	28 %	Injection drug use	1	2 %
35 - 44	10	16 %	Heterosexual contact	10	24 %
45+	23	36 %	Total	41	100 %
Total	64	100 %	<i>No Identified Risk</i>	23	

AIDS CASES DIAGNOSED January - December 2013

- 43 persons were newly diagnosed with AIDS in Region 3 in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	34	79 %	Black, Non-Hispanic	30	70 %
Women	9	21 %	White, Non-Hispanic	11	26 %
Total	43	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			Total	43	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	12 %	Men who have sex with men	20	71 %
25 - 34	7	16 %	Heterosexual contact	8	29 %
35 - 44	14	33 %	Total	28	100 %
45+	17	40 %	<i>No Identified Risk</i>	15	
Total	43	100 %			

Persons Living with HIV/AIDS**Region 4: Lafayette Region****as of June 30, 2014***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **2,244** cumulative cases have been detected in Region 4 since the beginning of the epidemic, including **17** pediatric cases.
- **1,031** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred since the beginning of the epidemic, including **10** pediatric deaths.
- **1,467** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **672**
Persons living with AIDS: **795**

Gender

	Cases	Percent
Women	378	26 %
Men	1,089	74 %
Total	1,467	100 %

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	6	<1 %
20 - 24	64	4 %
25 - 29	116	8 %
30 - 34	132	9 %
35 - 39	149	10 %
40 - 44	162	11 %
45 - 49	241	16 %
50 - 54	259	18 %
55 - 59	174	12 %
60+	162	11 %
Total	1,467	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	560	264	824	56 %
White, Non-Hispanic	453	102	555	38 %
Hispanic	58	5	63	4 %
Asian/Pacific Islander	2	2	4	<1 %
American Indian	2	2	4	<1 %
Unknown	1	0	1	<1 %
Multi-race	13	3	16	1 %
Total	1,089	378	1,467	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	534	0	534	55 %
Injection drug use	68	52	120	12 %
Men who have sex with men and inject drugs	58	0	58	6 %
Heterosexual contact	71	162	233	24 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	5	6	11	1 %
Total	741	222	963	100 %
<i>No Identified Risk</i>	<i>348</i>	<i>156</i>	<i>504</i>	

Persons Living with AIDS**Region 4: Lafayette Region****as of June 30, 2014***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,499** cumulative AIDS cases have been diagnosed in Region 4 since the beginning of the epidemic, including **14** pediatric cases.
- **795** persons are currently living with AIDS in Region 4.

Gender	Cases	Percent
Women	189	24 %
Men	606	76 %
Total	795	100 %

Age Category	Cases	Percent	Race/Ethnicity	Men	Women	Total	Percent
Current Age							
0 - 12	1	<1 %	Black, Non-Hispanic	304	137	441	55 %
13 - 19	2	<1 %	White, Non-Hispanic	266	47	313	39 %
20 - 24	18	2 %	Hispanic	27	1	28	4 %
25 - 29	36	5 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	64	8 %	American Indian	0	1	1	<1 %
35 - 39	76	10 %	Multi-race	8	2	10	1 %
40 - 44	89	11 %	Total	606	189	795	100 %
45 - 49	141	18 %					
50 - 54	156	20 %					
55 - 59	107	13 %					
60+	105	13 %					
Total	795	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	305	0	305	55 %
Injection drug use	49	26	75	14 %
Men who have sex with men and inject drugs	40	0	40	7 %
Heterosexual contact	35	87	122	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	3	5	8	1 %
Total	435	119	554	100 %
<i>No Identified Risk</i>	<i>171</i>	<i>70</i>	<i>241</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2013**

- 105 persons were newly diagnosed with HIV in Region 4 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	82	78 %	Black, Non-Hispanic	67	64 %
Women	23	22 %	White, Non-Hispanic	33	31 %
Total	105	100 %	Hispanic	5	5 %
			Total	105	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	24	23 %	Men who have sex with men	33	70 %
25 - 34	27	26 %	Injection drug use	3	6 %
35 - 44	18	17 %	Men who have sex with men and inject drugs	1	2 %
45+	36	34 %	Heterosexual contact	10	21 %
Total	105	100 %	Total	47	100 %
			<i>No Identified Risk</i>	58	

AIDS CASES DIAGNOSED January - December 2013

- 65 persons were newly diagnosed with AIDS in Region 4 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	51	78 %	Black, Non-Hispanic	46	71 %
Women	14	22 %	White, Non-Hispanic	15	23 %
Total	65	100 %	Hispanic	4	6 %
			Total	65	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	7	11 %	Men who have sex with men	22	63 %
25 - 34	19	29 %	Injection drug use	3	9 %
35 - 44	14	22 %	Men who have sex with men and inject drugs	1	3 %
45+	25	38 %	Heterosexual contact	8	23 %
Total	65	100 %	Perinatal	1	3 %
			Total	35	100 %
			<i>No Identified Risk</i>	30	

**Persons Living with HIV/AIDS
Region 5: Lake Charles Region
as of June 30, 2014**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **1,391** cumulative cases have been detected in Region 5 since the beginning of the epidemic, including **10** pediatric cases.
- **564** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred since the beginning of the epidemic, including **2** pediatric deaths.
- **1,010** persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: **446**
Persons living with AIDS: **564**

Gender

	Cases	Percent
Women	244	24 %
Men	766	76 %
Total	1,010	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	4	<1 %
20 - 24	32	3 %
25 - 29	70	7 %
30 - 34	93	9 %
35 - 39	127	13 %
40 - 44	134	13 %
45 - 49	172	17 %
50 - 54	164	16 %
55 - 59	122	12 %
60+	88	9 %
Total	1,010	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	418	164	582	58 %
White, Non-Hispanic	252	69	321	32 %
Hispanic	80	5	85	8 %
Asian/Pacific Islander	5	1	6	1 %
American Indian	3	0	3	<1 %
Multi-race	8	5	13	1 %
Total	766	244	1,010	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	330	0	330	45 %
Injection drug use	92	38	130	18 %
Men who have sex with men and inject drugs	70	0	70	9 %
Heterosexual contact	88	107	195	26 %
Transfusion/Hemophilia	2	0	2	<1 %
Perinatal	5	6	11	1 %
Total	587	151	738	100 %
<i>No Identified Risk</i>	<i>179</i>	<i>93</i>	<i>272</i>	

**Persons Living with AIDS
Region 5: Lake Charles Region
as of June 30, 2014**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **954** cumulative AIDS cases have been diagnosed in Region 5 since the beginning of the epidemic, including **6** pediatric cases.
- **564** persons are currently living with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	117	21 %
Men	447	79 %
Total	564	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	245	77	322	57 %
13 - 19	1	<1 %	White, Non-Hispanic	157	36	193	34 %
20 - 24	8	1 %	Hispanic	38	2	40	7 %
25 - 29	27	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	41	7 %	Multi-race	5	2	7	1 %
35 - 39	68	12 %	Total	447	117	564	100 %
40 - 44	79	14 %					
45 - 49	114	20 %					
50 - 54	102	18 %					
55 - 59	67	12 %					
60+	55	10 %					
Total	564	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	198	0	198	46 %
Injection drug use	61	21	82	19 %
Men who have sex with men and inject drugs	48	0	48	11 %
Heterosexual contact	51	47	98	23 %
Transfusion/Hemophilia	1	0	1	<1 %
Perinatal	3	2	5	1 %
Total	362	70	432	100 %
<i>No Identified Risk</i>	85	47	132	

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2013**

- 50 persons were newly diagnosed with HIV in Region 5 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	36	72 %	Black, Non-Hispanic	27	54 %
Women	14	28 %	White, Non-Hispanic	21	42 %
Total	50	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Total	50	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	16 %	Men who have sex with men	15	48 %
25 - 34	9	18 %	Injection drug use	6	19 %
35 - 44	12	24 %	Men who have sex with men and inject drugs	2	6 %
45+	21	42 %	Heterosexual contact	8	26 %
Total	50	100 %	Total	31	100 %

No Identified Risk

19

AIDS CASES DIAGNOSED January - December 2013

- 28 persons were newly diagnosed with AIDS in Region 5 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	22	79 %	Black, Non-Hispanic	17	61 %
Women	6	21 %	White, Non-Hispanic	11	39 %
Total	28	100 %	Total	28	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	3	11 %	Men who have sex with men	9	47 %
25 - 34	8	29 %	Injection drug use	3	16 %
35 - 44	8	29 %	Men who have sex with men and inject drugs	1	5 %
45+	9	32 %	Heterosexual contact	6	32 %
Total	28	100 %	Total	19	100 %

No Identified Risk

9

Persons Living with HIV/AIDS**Region 6: Alexandria Region****as of June 30, 2014***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,526** cumulative cases have been detected in Region 6 since the beginning of the epidemic, including **15** pediatric cases.
- **565** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred since the beginning of the epidemic, including **5** pediatric deaths.
- **879** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **446**
Persons living with AIDS: **433**

Gender

	Cases	Percent
Women	272	31 %
Men	607	69 %
Total	879	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	5	1 %
20 - 24	35	4 %
25 - 29	67	8 %
30 - 34	87	10 %
35 - 39	124	14 %
40 - 44	109	12 %
45 - 49	116	13 %
50 - 54	144	16 %
55 - 59	108	12 %
60+	81	9 %
Total	879	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	387	213	600	68 %
White, Non-Hispanic	173	49	222	25 %
Hispanic	41	7	48	5 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	0	1	1	<1 %
Multi-race	3	2	5	1 %
Total	607	272	879	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	251	0	251	43 %
Injection drug use	61	24	85	14 %
Men who have sex with men and inject drugs	37	0	37	6 %
Heterosexual contact	68	130	198	34 %
Transfusion/Hemophilia	5	2	7	1 %
Perinatal	5	4	9	2 %
Total	427	160	587	100 %

<i>No Identified Risk</i>	<i>180</i>	<i>112</i>	<i>292</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS**Region 6: Alexandria Region**

as of June 30, 2014

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **919** cumulative AIDS cases have been diagnosed in Region 6 since the beginning of the epidemic, including **6** pediatric cases.
- **433** persons are currently living with AIDS in Region 6.

<u>Gender</u>	Cases	Percent
Women	130	30 %
Men	303	70 %
Total	433	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	Men	Women	Total	Percent
<u>Current Age</u>	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	203	104	307	71 %
13 - 19	1	<1 %	White, Non-Hispanic	84	24	108	25 %
20 - 24	7	2 %	Hispanic	14	1	15	3 %
25 - 29	17	4 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	32	7 %	Multi-race	1	1	2	<1 %
35 - 39	49	11 %	Total	303	130	433	100 %
40 - 44	55	13 %					
45 - 49	74	17 %					
50 - 54	78	18 %					
55 - 59	64	15 %					
60+	55	13 %					
Total	433	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	118	0	118	40 %
Injection drug use	31	12	43	15 %
Men who have sex with men and inject drugs	28	0	28	10 %
Heterosexual contact	33	64	97	33 %
Transfusion/Hemophilia	4	1	5	2 %
Perinatal	1	2	3	1 %
Total	215	79	294	100 %

<i>No Identified Risk</i>	88	51	139	
---------------------------	----	----	-----	--

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2013**

- 89 persons were newly diagnosed with HIV in Region 6 in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	71	80 %	Black, Non-Hispanic	46	52 %
Women	18	20 %	White, Non-Hispanic	25	28 %
Total	89	100 %	Hispanic	18	20 %
			Total	89	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	12	13 %	Men who have sex with men	27	73 %
25 - 34	25	28 %	Injection drug use	2	5 %
35 - 44	30	34 %	Heterosexual contact	8	22 %
45+	22	25 %	Total	37	100 %
Total	89	100 %	<i>No Identified Risk</i>	52	

AIDS CASES DIAGNOSED January - December 2013

- 30 persons were newly diagnosed with AIDS in Region 6 in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	20	67 %	Black, Non-Hispanic	18	60 %
Women	10	33 %	White, Non-Hispanic	10	33 %
Total	30	100 %	Hispanic	2	7 %
			Total	30	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	7 %	Men who have sex with men	4	50 %
25 - 34	9	30 %	Injection drug use	1	12 %
35 - 44	11	37 %	Heterosexual contact	2	25 %
45+	8	27 %	Transfusion/Hemophilia	1	12 %
Total	30	100 %	Total	8	100 %
			<i>No Identified Risk</i>	22	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2013**

- 152 persons were newly diagnosed with HIV in Region 7 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	116	76 %	Black, Non-Hispanic	116	76 %
Women	36	24 %	White, Non-Hispanic	27	18 %
Total	152	100 %	Hispanic	4	3 %
			Asian/Pacific Islander	1	1 %
			American Indian	3	2 %
			Multi-race	1	1 %
			Total	152	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	44	29 %	Men who have sex with men	57	76 %
25 - 34	45	30 %	Injection drug use	4	5 %
35 - 44	27	18 %	Men who have sex with men and inject drugs	2	3 %
45+	36	24 %	Heterosexual contact	12	16 %
Total	152	100 %	Total	75	100 %
			<i>No Identified Risk</i>	<i>77</i>	

AIDS CASES DIAGNOSED January - December 2013

- 68 persons were newly diagnosed with AIDS in Region 7 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	44	65 %	Black, Non-Hispanic	56	82 %
Women	24	35 %	White, Non-Hispanic	10	15 %
Total	68	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	1	1 %
			Total	68	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	12 %	Men who have sex with men	15	60 %
25 - 34	19	28 %	Injection drug use	2	8 %
35 - 44	18	26 %	Men who have sex with men and inject drugs	2	8 %
45+	23	34 %	Heterosexual contact	6	24 %
Total	68	100 %	Total	25	100 %
			<i>No Identified Risk</i>	<i>43</i>	

Persons Living with HIV/AIDS

Region 8: Monroe Region

as of June 30, 2014

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- **1,786** cumulative cases have been detected in Region 8 since the beginning of the epidemic, including **18** pediatric cases.
- **747** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred since the beginning of the epidemic, including **4** pediatric deaths.
- **1,021** persons are currently living with HIV/AIDS in Region 8.
 Persons living with HIV: **492**
 Persons living with AIDS: **529**

Gender

	Cases	Percent
Women	356	35 %
Men	665	65 %
Total	1,021	100 %

Age Category

Current Age	Cases	Percent
0 - 12	6	1 %
13 - 19	16	2 %
20 - 24	52	5 %
25 - 29	80	8 %
30 - 34	107	10 %
35 - 39	133	13 %
40 - 44	142	14 %
45 - 49	118	12 %
50 - 54	154	15 %
55 - 59	114	11 %
60+	99	10 %
Total	1,021	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	475	300	775	76 %
White, Non-Hispanic	165	46	211	21 %
Hispanic	12	6	18	2 %
Asian/Pacific Islander	3	1	4	<1 %
American Indian	3	1	4	<1 %
Unknown	2	0	2	<1 %
Multi-race	5	2	7	1 %
Total	665	356	1,021	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	357	0	357	52 %
Injection drug use	32	33	65	9 %
Men who have sex with men and inject drugs	38	0	38	5 %
Heterosexual contact	64	149	213	31 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	10	13	2 %
Total	496	195	691	100 %
<i>No Identified Risk</i>	<i>169</i>	<i>161</i>	<i>330</i>	

Persons Living with AIDS**Region 8: Monroe Region**

as of June 30, 2014

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- **1,138** cumulative AIDS cases have been diagnosed in Region 8 since the beginning of the epidemic, including **9** pediatric cases.
- **529** persons are currently living with AIDS in Region 8.

<u>Gender</u>	Cases	Percent
Women	171	32 %
Men	358	68 %
Total	529	100 %

<u>Age Category</u>	Cases	Percent	<u>Race/Ethnicity</u>	Men	Women	Total	Percent
13 - 19	3	1 %	Black, Non-Hispanic	255	145	400	76 %
20 - 24	17	3 %	White, Non-Hispanic	91	23	114	22 %
25 - 29	15	3 %	Hispanic	7	2	9	2 %
30 - 34	40	8 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	77	15 %	American Indian	1	0	1	<1 %
40 - 44	91	17 %	Multi-race	2	1	3	1 %
45 - 49	69	13 %	Total	358	171	529	100 %
50 - 54	78	15 %					
55 - 59	74	14 %					
60+	65	12 %					
Total	529	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	181	0	181	49 %
Injection drug use	15	23	38	10 %
Men who have sex with men and inject drugs	26	0	26	7 %
Heterosexual contact	43	72	115	31 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	2	2	4	1 %
Total	269	98	367	100 %
<i>No Identified Risk</i>	<i>89</i>	<i>73</i>	<i>162</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region**

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

HIV CASES DIAGNOSED January - December 2013

- 94 persons were newly diagnosed with HIV in Region 8 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	70	74 %	Black, Non-Hispanic	65	69 %
Women	24	26 %	White, Non-Hispanic	24	26 %
Total	94	100 %	Hispanic	1	1 %
			American Indian	2	2 %
			Unknown	1	1 %
			Multi-race	1	1 %
			Total	94	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	25	27 %	Men who have sex with men	48	77 %
25 - 34	24	26 %	Injection drug use	4	6 %
35 - 44	28	30 %	Men who have sex with men and inject drugs	2	3 %
45+	17	18 %	Heterosexual contact	8	13 %
Total	94	100 %	Total	62	100 %
			<i>No Identified Risk</i>	32	

AIDS CASES DIAGNOSED January - December 2013

- 46 persons were newly diagnosed with AIDS in Region 8 in 2013.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	33	72 %	Black, Non-Hispanic	36	78 %
Women	13	28 %	White, Non-Hispanic	10	22 %
Total	46	100 %	Total	46	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	11 %	Men who have sex with men	21	72 %
25 - 34	10	22 %	Injection drug use	2	7 %
35 - 44	19	41 %	Men who have sex with men and inject drugs	2	7 %
45+	12	26 %	Heterosexual contact	4	14 %
Total	46	100 %	Total	29	100 %
			<i>No Identified Risk</i>	17	

**Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of June 30, 2014**

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,590** cumulative cases have been detected in Region 9 since the beginning of the epidemic, including **18** pediatric cases.
- **677** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred since the beginning of the epidemic, including **7** pediatric deaths.
- **1,178** persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: **546**
 Persons living with AIDS: **632**

Gender

	Cases	Percent
Women	318	27 %
Men	860	73 %
Total	1,178	100 %

Age Category

Current Age	Cases	Percent
0 - 12	5	<1 %
13 - 19	6	1 %
20 - 24	40	3 %
25 - 29	77	7 %
30 - 34	87	7 %
35 - 39	133	11 %
40 - 44	150	13 %
45 - 49	199	17 %
50 - 54	203	17 %
55 - 59	162	14 %
60+	116	10 %
Total	1,178	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	388	201	589	50 %
White, Non-Hispanic	443	107	550	47 %
Hispanic	22	8	30	3 %
Asian/Pacific Islander	2	2	4	<1 %
American Indian	1	0	1	<1 %
Multi-race	4	0	4	<1 %
Total	860	318	1,178	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	447	0	447	56 %
Injection drug use	55	46	101	13 %
Men who have sex with men and inject drugs	57	0	57	7 %
Heterosexual contact	64	109	173	22 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	5	15	2 %
Total	639	160	799	100 %
<i>No Identified Risk</i>	<i>221</i>	<i>158</i>	<i>379</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of June 30, 2014

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,079** cumulative AIDS cases have been diagnosed in Region 9 since the beginning of the epidemic, including **10** pediatric cases.
- **632** persons are currently living with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	147	23 %
Men	485	77 %
Total	632	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
20 - 24	13	2 %	Black, Non-Hispanic	223	93	316	50 %
25 - 29	22	3 %	White, Non-Hispanic	245	48	293	46 %
30 - 34	38	6 %	Hispanic	12	5	17	3 %
35 - 39	67	11 %	Asian/Pacific Islander	1	1	2	<1 %
40 - 44	79	12 %	American Indian	1	0	1	<1 %
45 - 49	119	19 %	Multi-race	3	0	3	<1 %
50 - 54	121	19 %	Total	485	147	632	100 %
55 - 59	99	16 %					
60+	74	12 %					
Total	632	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	253	0	253	56 %
Injection drug use	39	22	61	14 %
Men who have sex with men and inject drugs	30	0	30	7 %
Heterosexual contact	40	53	93	21 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	5	1	6	1 %
Total	372	76	448	100 %
<i>No Identified Risk</i>	<i>113</i>	<i>71</i>	<i>184</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 9: Hammond/Slidell Region

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

HIV CASES DIAGNOSED January - December 2013

- 75 persons were newly diagnosed with HIV in Region 9 in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	59	79 %	Black, Non-Hispanic	48	64 %
Women	16	21 %	White, Non-Hispanic	27	36 %
Total	75	100 %	Total	75	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	13 %	Men who have sex with men	36	84 %
25 - 34	16	21 %	Injection drug use	3	7 %
35 - 44	23	31 %	Heterosexual contact	4	9 %
45+	26	35 %	Total	43	100 %
Total	75	100 %	<i>No Identified Risk</i>	<i>32</i>	

AIDS CASES DIAGNOSED January - December 2013

- 43 persons were newly diagnosed with AIDS in Region 9 in 2013.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	34	79 %	Black, Non-Hispanic	25	58 %
Women	9	21 %	White, Non-Hispanic	16	37 %
Total	43	100 %	Hispanic	2	5 %
			Total	43	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	7 %	Men who have sex with men	23	74 %
25 - 34	11	26 %	Injection drug use	3	10 %
35 - 44	14	33 %	Men who have sex with men and inject drugs	1	3 %
45+	15	35 %	Heterosexual contact	4	13 %
Total	43	100 %	Total	31	100 %
			<i>No Identified Risk</i>	<i>12</i>	

Surveillance Quarterly Highlight: Perinatal Surveillance Act 459 - Third Trimester HIV and Syphilis Testing


Effective June 4, 2014, Louisiana enacted legislation requiring physicians to offer “opt-out” syphilis and HIV testing to women during the third trimester of pregnancy, in addition to testing at the first prenatal care visit. The full text of Act 459 is available at www.legis.la.gov.

Act 459 provides additional opportunities for the detection and treatment of syphilis and HIV among pregnant women in the third trimester, in time to reduce mother-to-child transmission of these serious illnesses. Prenatal testing should be used in combination with the treatment guidelines for HIV (<http://AIDSinfo.nih.gov>) and syphilis (www.cdc.gov/STD/treatment/2010) during pregnancy.


The Louisiana Department of Health and Hospitals’ Office of Public Health offers technical assistance, educational support and access to a network of resources to help health care providers with the care of patients. The Centers for Disease Control and Prevention and the U.S. Preventive Services Task Force recommend that pregnant women living in areas with high HIV and syphilis rates be tested for HIV and syphilis at their first prenatal visit and again in the third trimester.

In Louisiana, from 2010 to 2012, **15** infants were born with an HIV infection and **83** infants were born with congenital syphilis. Some of the mothers of these infected infants tested negative during the first trimester of their pregnancy, yet were found to be positive at the time of delivery.

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2004-2013)




*The number of new HIV diagnoses in 2013 is subject to change as the data are not finalized.




* The number of new AIDS diagnoses in 2013 is subject to change as the data are not finalized.

10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2004-2013)



*The number of persons living with HIV/AIDS in 2013 is an overestimate because the 2013 death registry match has not occurred as of June 30, 2014.



*The number of persons living with AIDS in 2013 is an overestimate because the 2013 death registry match has not occurred as of June 30, 2014.