

**STATE OF LOUISIANA/BUREAU OF EMS
PATIENT ASSESSMENT/MANAGEMENT-MEDICAL
BASIC LEVEL EMT**

Start Time _____

TIME LIMIT-10 MINUTES

QA _____

Stop Time _____

Patient Type _____

Date _____

Candidate # _____

Social Security # _____ / _____ / _____

Evaluator's Name _____

Points Possible

Points Awarded

Evaluator's Signature _____

Takes or verbalizes body substance isolation							1	
SCENE SIZE-UP								
Determines the scene is safe							1	
Determines the mechanism of the injury/nature of illness							1	
Determines the number of patients							1	
Requests additional help if necessary							1	
Considers stabilization of the spine							1	
INITIAL ASSESSMENT								
Verbalizes general impression of the patient							1	
Determines responsiveness of the patient							1	
Determines the chief complaint/apparent life threats							1	
Assesses airway and breathing		Assessment					1	
		Initiates appropriate oxygen therapy					1	
		Assures adequate ventilation					1	
Assess circulation		Assesses/controls major bleeding					1	
		Assesses pulse					1	
		Assesses skin (color, temperature and condition)					1	
Identifies priority patients/makes transport decision							1	
FOCUSED HISTORY AND PHYSICAL EXAMINATION/RAPID ASSESSMENT								
Signs and symptoms (Assess history of present illness)							1	
Respiratory	Cardiac	Altered Mental Status	Allergic Reaction	Poisoning/Overdose	Environmental Emergency	Obstetrics	Behavioral	
*Onset? *Provokes? *Quality? *Radiates? *Severity? *Time? *Interventions?	*Onset? *Provokes? *Quality? *Radiates? *Severity? *Time? *Interventions?	*Description of the episode? *Onset? *Duration? *Associated Symptoms? *Evidence of trauma? *Interventions? *Seizures? *Fever?	*History of allergies? *What were you exposed to? *How were you exposed? *Effects? *Progression? *Interventions?	*Substance? *When did you ingest/become exposed? *How much did you ingest? *Over what time period? *Interventions? *Estimated weight?	*Source? *Environment? *Duration? *Loss of consciousness? *Effects-general or local?	*Are you pregnant? *How long have you been pregnant? *Pain or contractions? *Bleeding or discharge? *Do you feel the need to push? *Last menstrual period?	*How do you feel? *Determine suicidal tendencies? *Is the patient a threat to self or others? *Is there a medical problem? *Interventions?	
5	5	6	4	5	4	5	4	
Allergies							1	
Medications							1	
Past pertinent history							1	
Last oral intake							1	
Events leading							1	
Performs focused physical examination (assesses affected body part/system or if indicated, completes rapid assessment)							1	
Vitals (obtains baseline vital signs)							1	
Interventions (obtains medical direction or verbalizes standing order for medication interventions and verbalizes proper additional intervention/treatment)							1	
Transport (re-evaluates the transport decision)							1	
Verbalizes the consideration for completing a detailed physical examination							1	
ONGOING ASSESSMENT (verbalized)								
Repeats initial assessment							1	
Reassessment of the vital signs							1	
Repeats focused assessment regarding patient complaint or injuries							1	
Reassessment of interventions							1	
Critical Criteria							31	

- _____ Did not take or verbalize body substance isolation precautions
- _____ Did not determine scene safety
- _____ Did not obtain medical direction or verbalize standing orders for medical interventions
- _____ Failure to apply high concentrations of oxygen (12-15 L/min minimum)
- _____ Did not find or manage problems associated with airway, breathing, hemorrhage or shock (hypoperfusion)
- _____ Did not differentiate patient's need for transportation versus continued assessment/treatment on the scene
- _____ Did not perform detailed physical examination before assessing the airway, breathing and circulation
- _____ Did not ask questions about the present illness
- _____ Administered a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items or any points not awarded on the reverse side of this form

**STATE OF LOUISIANA/BUREAU OF EMS
PATIENT ASSESSMENT/MANAGEMENT-TRAUMA
BASIC LEVEL EMT**

Start Time _____

TIME LIMIT-10 MINUTES

QA _____

Stop Time _____

Date _____

Candidate # _____

Social Security # _____ / _____ / _____

Evaluator's Name _____

Evaluator's Signature _____

	Points Possible	Points Awarded
Takes or verbalizes body substance isolation	1	
SCENE SIZE-UP		
Determines the scene is safe	1	
Determines the mechanism of the injury/nature of illness	1	
Determines the number of patients	1	
Requests additional help if necessary	1	
Considers stabilization of the spine	1	
INITIAL ASSESSMENT		
Verbalizes general impression of the patient	1	
Determines responsiveness of the patient	1	
Determines the chief complaint/apparent life threats	1	
Assesses airway and breathing	Assessment	1
	Initiates appropriate oxygen therapy	1
	Assures adequate ventilation	1
	Injury Management	1
Assess circulation	Assesses/controls major bleeding	1
	Assesses pulse	1
	Assesses skin (color, temperature and condition)	1
Identifies priority patients/makes transport decision	1	
FOCUSED HISTORY AND PHYSICAL EXAMINATION/RAPID ASSESSMENT		
Selects appropriate assessment (focused or rapid assessment)	1	
Obtains baseline vital signs	1	
Obtains S.A.M.P.L.E. history	1	
DETAILED PHYSICAL EXAMINATION		
Assesses the head	Inspects and palpates the scalp and ears	1
	Assesses the eyes	1
	Assesses the facial areas including oral and nasal areas	1
Assesses the neck	Inspects and palpates the neck	1
	Assesses for JVD	1
	Assesses for tracheal deviation	1
Assesses the chest	Inspects	1
	Palpates	1
	Auscultates	1
Assesses the abdomen/pelvis	Assesses the abdomen	1
	Assesses the pelvis	1
	Verbalizes assessment of the genitalia/perineum as needed	1
Assesses the extremities	1 point for each extremity	4
	Includes inspection, palpation and assessment of motor, sensory and circulatory function	
Assesses the posterior	Assesses thorax	1
	Assesses lumbar	1
Manages secondary injuries and wounds appropriately	1	
1 point for management of the secondary injury/wound		
ONGOING ASSESSMENT (Verbalized)		
Repeats initial assessment	1	
Reassessment of the vital signs	1	
Repeats focused/detailed assessment	1	
Reassessment of interventions	1	
Critical Criteria	43	
_____ Did not take or verbalize body substance isolation precautions		
_____ Did not determine scene safety		
_____ Did not assess/treat for spinal injury		
_____ Failure to apply high concentrations of oxygen (12-15 L/min minimum)		
_____ Did not find or manage problems associated with airway, breathing, hemorrhage or shock (hypoperfusion)		
_____ Did not differentiate patient's need for transportation versus continued assessment/treatment on the scene		
_____ Did other detailed physical examination before assessing the airway, breathing and circulation		
_____ Opening airway compromised the cervical spine		
_____ Did not transport patient within (10) minute time limit		

	Points Possible	Points Awarded
Takes or verbalizes body substance isolation	1	
SCENE SIZE-UP		
Determines the scene is safe	1	
Determines the mechanism of the injury/nature of illness	1	
Determines the number of patients	1	
Requests additional help if necessary	1	
Considers stabilization of the spine	1	
INITIAL ASSESSMENT		
Verbalizes general impression of the patient	1	
Determines responsiveness of the patient	1	
Determines the chief complaint/apparent life threats	1	
Assesses airway and breathing	Assessment	1
	Initiates appropriate oxygen therapy	1
	Assures adequate ventilation	1
	Injury Management	1
Assess circulation	Assesses/controls major bleeding	1
	Assesses pulse	1
	Assesses skin (color, temperature and condition)	1
Identifies priority patients/makes transport decision	1	
FOCUSED HISTORY AND PHYSICAL EXAMINATION/RAPID ASSESSMENT		
Selects appropriate assessment (focused or rapid assessment)	1	
Obtains baseline vital signs	1	
Obtains S.A.M.P.L.E. history	1	
DETAILED PHYSICAL EXAMINATION		
Assesses the head	Inspects and palpates the scalp and ears	1
	Assesses the eyes	1
	Assesses the facial areas including oral and nasal areas	1
Assesses the neck	Inspects and palpates the neck	1
	Assesses for JVD	1
	Assesses for tracheal deviation	1
Assesses the chest	Inspects	1
	Palpates	1
	Auscultates	1
Assesses the abdomen/pelvis	Assesses the abdomen	1
	Assesses the pelvis	1
	Verbalizes assessment of the genitalia/perineum as needed	1
Assesses the extremities	1 point for each extremity	4
	Includes inspection, palpation and assessment of motor, sensory and circulatory function	
Assesses the posterior	Assesses thorax	1
	Assesses lumbar	1
Manages secondary injuries and wounds appropriately	1	
1 point for management of the secondary injury/wound		
ONGOING ASSESSMENT (Verbalized)		
Repeats initial assessment	1	
Reassessment of the vital signs	1	
Repeats focused/detailed assessment	1	
Reassessment of interventions	1	
Critical Criteria	43	
_____ Did not take or verbalize body substance isolation precautions		
_____ Did not determine scene safety		
_____ Did not assess/treat for spinal injury		
_____ Failure to apply high concentrations of oxygen (12-15 L/min minimum)		
_____ Did not find or manage problems associated with airway, breathing, hemorrhage or shock (hypoperfusion)		
_____ Did not differentiate patient's need for transportation versus continued assessment/treatment on the scene		
_____ Did other detailed physical examination before assessing the airway, breathing and circulation		
_____ Opening airway compromised the cervical spine		
_____ Did not transport patient within (10) minute time limit		

You must factually document your rationale for checking any of the above critical items or any points not awarded on the reverse side of this form

STATE OF LOUISIANA/BUREAU OF EMS
CARDIAC ARREST MANAGEMENT/AED
BASIC LEVEL EMT

Start Time _____
Stop Time _____

TIME LIMIT-8 MINUTES

Date: ____/____/____

Candidate # _____

Social Security # ____/____/____

Evaluator's Name _____

Evaluator's Signature _____


	Points Possible	Points Awarded
Assessment		
Takes or Verbalizes body substance isolation	1	
Briefly questions the rescuer about arrest events	1	
Examiner informs candidate that the first responder is finishing his initial 5 cycles of compressions/ventilations		
Turns on automatic defibrillator	1	
Attaches automatic defibrillator to patient	1	
Directs rescuer to stop CPR and ensures all individuals are cleared	1	
Initiate analysis of the rhythm	1	
Delivers shock (one shock)	1	
Transition		
Directs resumption of CPR (5 cycles 30:2 for two minutes)	1	
Gathers additional information about the arrest event	1	
Confirms effectiveness of CPR (Compression and Ventilation)	1	
Integration		
Verbalizes or directs insertion of a simple airway adjunct (Nasal or oral)	1	
Ventilates or directs ventilation of the patient	1	
Assures high concentration of oxygen is delivered to the patient	1	
Assures CPR continues without unnecessary/prolonged interruptions	1	
Repeats defibrillator sequence (one shock)	1	
Transportation		
Verbalizes transportation of the patient with CPR in progress	1	
	16	

Critical Criteria

- _____ Failure to apply high concentration of oxygen (12-15 liters per minute)
- _____ Did not take or verbalize body substance isolation
- _____ Did not direct initiation/resumption of ventilations/compressions at appropriate times
- _____ Did not assure all individuals were clear of the patient before delivering each shock
- _____ Did not operate the AED properly (inability to deliver shock/(s) appropriately)

You must factually document your rationale for checking any of the above critical items or any points not awarded on the reverse side of this form

Revised 10/2006



STATE OF LOUISIANA/BUREAU OF EMS
 BAG-VALVE MASK/DUEL LUMEN AIRWAY DEVICE
 BASIC LEVEL EMT

Candidate: _____ SS _____ Examiner: _____
 Date: _____ Signature: _____

Takes or verbalizes body substance isolation precautions	1	
Performs/voices opening the airway	1	
Voices inserting an airway adjunct (oropharyngeal or nasopharyngeal airway)	1	
Selects appropriately sized mask	1	
Creates a proper mask-to-face seal	1	
Ventilates patient on room air with volume sufficient to make chest visibly rise <i>The examiner must witness for at least 30 seconds.</i>	1	
Connects reservoir and oxygen	1	
Adjusts liter flow to 12 to 15 liters/minute or greater	1	
<i>The examiner indicates arrival of second EMT. The second EMT is instructed to ventilate the patient while the candidate controls the mask and airway.</i>		
Performs/voices re-opening the airway	1	
Creates a proper mask-to-face seal	1	
Instructs assistant to resume ventilation at a proper volume per breath <i>The examiner must witness for at least 30 seconds.</i>	1	
<i>Note: After 30 seconds, examiner auscultates and reports breath sounds are present and equal bilaterally and medical control has ordered insertion of a dual lumen airway (using intubation manikin)</i>		
Directs assistant to pre-oxygenate patient	1	
Checks/prepares airway device	1	
Lubricates distal tip of the device (may be verbalized)	1	
<i>Note: Examiner to remove OPA and move out of the way when candidate is prepared to insert device</i>		
Positions head properly	1	
Performs a tongue-jaw lift	1	
Inserts device in mid-line and to depth so printed ring is at level of teeth	1	
Inflates pharyngeal cuff with proper volume and removes syringe	1	
Inflates distal cuff with proper volume and removes syringe	1	
Attaches/directs attachment of BVM to the first (endotracheal placement) lumen and ventilates	1	
Confirms placement and ventilation through correct lumen by observing chest rise, auscultation over the epigastrium, and bilaterally over each lung	1	
<i>Note: The examiner states, "You do not see rise and fall of the chest and you only hear sounds over the epigastrium, what would you do?"</i>	1	
Secures device or confirms that the device remains properly secured	1	
	23	

Critical Criteria

- _____ Failure to initiate ventilations within 30 seconds after taking BSI precautions or interrupts ventilations for greater than 30 seconds at any time
- _____ Did not take or verbalize body substance isolation
- _____ Failure to voice and ultimately provide high oxygen concentrations (12-15liter/minute)
- _____ Failure to ventilate patient at a rate of 10-12 breaths/minute
- _____ **BVM**-Failure to provide adequate volumes per breath (maximum 2 errors/minute permissible)
- _____ Failure to pre-oxygenate patient prior to insertion of the dual lumen airway device
- _____ Failure to insert the dual lumen airway device at a proper depth/proper place within 3 attempts
- _____ Failure to inflate both cuffs properly
- _____ **Combitube**-failure to remove the syringe after inflation of each cuff
- _____ Failure to confirm that the proper lumen of the device is being ventilated by observing chest rise, auscultation over the epigastrium, and bilaterally over each lung
- _____ Inserts any adjunct in a manner dangerous to patient

**STATE OF LOUISIANA/BUREAU OF EMS
SEATED SPINAL IMMOBILIZATION
BASIC LEVEL EMT**

Start Time _____

TIME LIMIT-10 MINUTES

QA _____

Stop Time _____

Date _____

Candidate # _____

Social Security # _____ / _____ / _____

Evaluator's Name _____

Evaluator's Signature _____

Points

Possible

Points

Awarded

Takes or verbalizes body substance isolation precautions	1	
Directs assistant to place/maintain head in the neutral in-line position	1	
Directs assistant to maintain manual immobilization of the head	1	
Assesses motor, sensory and circulatory function in each extremity	1	
Applies the appropriately sized extrication collar	1	
Positions the immobilization device behind the patient	1	
Secures the device to the patient's torso	1	
Evaluates torso fixation and adjusts as necessary	1	
Evaluates and pads behind the patient's head as necessary	1	
Secures the patient's head to the device	1	
Verbalizes moving the patient to a long board	1	
Reassesses motor, sensory and circulatory function in each extremity	1	
	12	

Critical Criteria

- _____ Did not immediately direct or take manual immobilization of the head
- _____ Released or ordered the release of manual immobilization before it was maintained mechanically
- _____ Patient manipulated or moved excessively, causing potential spinal compromise
- _____ Device moves excessively up, down, left or right on the patient's torso
- _____ Head immobilization allows for excessive movement
- _____ Torso fixation inhibits chest rise, resulting in respiratory compromise
- _____ Upon completion of immobilization, head not in neutral position
- _____ Did not assess motor, sensory and circulation function in each extremity before immobilization
- _____ Immobilized head to the board before securing the torso
- _____ Did not reassess motor, sensory and circulation function in each extremity after voicing immobilization to the long spine board

You must factually document your rational for checking any of the above critical items or any points not awarded on the reverse side of this form Rev 7-02

STATE OF LOUISIANA/BUREAU OF EMS
SUPINE SPINAL IMMOBILIZATION
BASIC LEVEL EMT

Start Time _____

TIME LIMIT-10 MINUTES

QA _____

Stop Time _____

Date _____

Candidate # _____

Social Security # _____ / _____ / _____

Evaluator's Name _____	Points	Points
Evaluator's Signature _____	Possible	Awarded
Takes or verbalizes body substance isolation precautions	1	
Directs assistant to place/maintain head in the neutral in-line position	1	
Directs assistant to maintain manual immobilization of the head	1	
Assesses motor, sensory and circulatory function in each extremity	1	
Applies the appropriately sized extrication collar	1	
Positions the immobilization device appropriately	1	
Directs movement of the patient onto the device without compromising the integrity of the spine	1	
Applies padding to the voids between the torso and the board as necessary	1	
Immobilizes the patient's torso to the device	1	
Evaluates and pads behind the patient's head as necessary	1	
Immobilizes the patient's head to the device	1	
Secures the patient's legs to the device	1	
Secures the patient's arms to the device	1	
Reassesses motor, sensory and circulatory function in each extremity	1	
	14	

Critical Criteria

- _____ Did not immediately direct or take manual immobilization of the head
- _____ Released or ordered the release of manual immobilization before it was mechanically maintained
- _____ Patient manipulated or moved excessively, causing potential spinal compromise
- _____ Device moves excessively up, down, left or right on the patient's torso
- _____ Head immobilization allows for excessive movement
- _____ Upon completion of immobilization, head not in neutral position
- _____ Did not assess motor, sensory and circulation function in each extremity before/after immobilization
- _____ Immobilized head to the board before securing the torso

You must factually document your rationale for checking any of the above critical items or any points not awarded on the reverse side of this form

**STATE OF LOUISIANA/BUREAU OF EMS
IMMOBILIZATION SKILLS-LONGBONE INJURY
BASIC LEVEL EMT**

Start Time _____

TIME LIMIT-10 MINUTES

QA _____

Stop Time _____

Date _____

Candidate # _____

Social Security # _____ / _____ / _____

Evaluator's Name _____

Points Possible	Points Awarded
-----------------	----------------

Evaluator's Signature _____

Takes or verbalizes body substance isolation precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses motor, sensory and circulatory function in the injured extremity	1	
Note: The examiner acknowledges "motor, sensory and circulatory function are normal and present"		
Measures the splint	1	
Applies the splint	1	
Immobilizes the joint above the injury site	1	
Immobilizes the joint below the injury site	1	
Secures the entire injured extremity	1	
Immobilizes the hand/foot in the position of function	1	
Reassesses motor, sensory and circulatory function in the injured extremity	1	
Note: The examiner acknowledges "motor, sensory and circulatory function are normal and present"		
	10	

Critical Criteria

_____ Grossly moves the injured extremity

_____ Did not immobilize the joint above and joint below the injury site

_____ Did not assess motor, sensory and circulatory function in the injured extremity before and after splinting

You must factually document your rationale for checking any of the above critical items or any points not awarded on the reverse side of this form

**STATE OF LOUISIANA/BUREAU OF EMS
TRACTION SPLINTING
BASIC LEVEL EMT**

Start Time _____
Stop Time _____
Candidate # _____

TIME LIMIT-10 MINUTES
Social Security # _____ / _____ / _____

QA _____
Date _____

Evaluator's Name _____	Points Possible	Points Awarded
Evaluator's Signature _____		
Takes or verbalizes body substance isolation	1	
Directs application of manual stabilization of the injured leg	1	
Directs application of manual traction	1	
Assess motor, sensory and circulation function in the injured extremity	1	
Note: The examiner acknowledges, "motor, sensory and circulatory function are present and normal"		
Prepares/adjusts splint to proper length	1	
Positions the splint next to the injured leg	1	
Applies the proximal securing device (e.g. ischial strap)	1	
Applies the distal securing device (e.g. ankle hitch)	1	
Applies mechanical traction	1	
Positions/secures support straps	1	
Re-evaluates the proximal and distal securing devices	1	
Reassess motor, sensory and circulation function in the injured extremity	1	
Note: The examiner acknowledges, "motor, sensory and circulatory function are present and normal."		
Note: The examiner must ask the candidate how he/she would prepare the patient for transport		
Verbalizes securing the torso to the long board to immobilize hip.	1	
Verbalizes securing the splint to the long board to prevent movement of the splint	1	
Critical Criteria	14	
_____ Loss of traction at any time after it was applied		
_____ Did not assess motor, sensory and circulation function in the injured extremity before and after splinting		
_____ The foot was excessively rotated or extended after the splint was applied		
_____ Did not secure the ischial strap before taking mechanical traction		
_____ Final immobilization failed to support the femur or prevented rotation of the injured leg		
_____ Secured the leg to the splint before applying mechanical traction		
_____ Injured leg elevated without application of manual/mechanical traction		
_____ Failure to support injured leg during elevation		

Note: If a Sagar splint or the Kendricks Traction Device is used without elevating the patient's leg, application of manual traction is not necessary. The candidate should be awarded one (1) point as if manual traction were applied.

Note: The ankle hitch may be applied before elevating the leg and used to provide manual traction.

You must factually document your rationale for checking any of the above critical items or any points not awarded on the reverse side of this form

**STATE OF LOUISIANA/BUREAU OF EMS
IMMOBILIZATION SKILLS-JOINT INJURY
BASIC LEVEL EMT**

Start Time _____

TIME LIMIT- 10 MINUTES

QA _____

Stop Time _____

Date _____

Candidate # _____

Social Security # _____ / _____ / _____

Evaluator's Name _____	Points Possible	Points Awarded
Evaluator's Signature _____		
Takes or verbalizes body substance isolation precautions	1	
Directs application of manual stabilization of the shoulder injury	1	
Assesses motor, sensory and circulatory function in the injured extremity	1	
Note: The examiner acknowledges "motor, sensory and circulatory function are normal and present"		
Selects the proper splinting material	1	
Immobilizes the site of the injury	1	
Immobilizes the bone above the injured joint	1	
Immobilizes the bone below the injured joint	1	
Reassesses motor, sensory and circulatory function in the injured extremity	1	
Note: The examiner acknowledges "motor, sensory and circulatory function are normal and present"		
	8	

Critical Criteria

_____ Grossly moves the injured extremity

_____ Did not immobilize the joint above and joint below the injury site

_____ Did not assess motor, sensory and circulatory function in the injured extremity before and after splinting

You must factually document your rationale for checking any of the above critical items or any points not awarded on the reverse side of this form

STATE OF LOUISIANA/BUREAU OF EMS
BLEEDING CONTROL/SHOCK MANAGEMENT
BASIC LEVEL EMT

TIME LIMIT – 10 MINUTES

Candidate # _____ SS# _____ Examiner _____

Date _____ QA _____ Signature _____

Start Time _____	Points Possible	Points Awarded
Takes or verbalizes body substance isolation precautions	1	
Applies direct pressure to the wound	1	
Note: The examiner must now inform the candidate that the wound continues to bleed		
Applies tourniquet	1	
Note: The examiner must now inform the candidate the patient is now showing signs and symptoms indicative of hypoperfusion.		
Properly positions the patient	1	
Applies high concentration of oxygen	1	
Initiates steps to prevent heat loss from the patient	1	
Indicates the need for immediate transportation	1	
	10	
End Time _____	Result	

Critical Criteria

- _____ Did not take or verbalize body substance isolation precautions
- _____ Did not apply high concentration of oxygen (12-15 L/min minimum)
- _____ Did not control hemorrhage using correct procedures in a timely manner
- _____ Did not indicate the need for immediate transport

You must factually document your rationale for checking any of the above critical items or any points not awarded in the notes section of this form.